



UIO Performance Report

How to find and interpret your organization's data

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

1

Locate your organization
Find your organization name in the first column, listed alphabetically.

2

Find your master code
Flook for your organization's master code(s), typically master codes have multiple station codes (separating type of infrastructure or regions) that filter up to a master code for billing purposes.

For example, AAA01, BBB01, and CCC01 are station codes that filter up to the master code, ABC123.

3

Understand performance metrics

- On Time:** Notifications completed within the legislated timeframe (standard or advanced requests);
- Late:** Notifications completed outside of the legislated timeframe (standard or advanced requests);
- No 360 Feedback Response Provided:** Notifications that have not been updated with a status and closed date in 360 Feedback.

What's included in this report

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

Included in this report
The report includes data for standard and advanced locate requests.

Excluded in this report
Excludes data for planning, sewer lateral, emergency, cancel, test and void requests.

When this report is run

The report is generated monthly and captures data from the previous reporting period (month prior). It's designed to provide a timely and accurate snapshot of the UIOs locate delivery performance.

What goes into creating this report

Data for this report is collected from Ontario One Call's 360 Feedback system housing locate request information and Member's (UIOs) self reported locate delivery responses.

Key Definitions

Underground Infrastructure Owner (UIO) Name

Underground Infrastructure Owner is a Member of Ontario One Call. A person or entity described in one or more of the following paragraphs is a member of the Corporation if the person or entity owns or operates underground infrastructure:

- Every municipality in Ontario;
- Hydro One Inc., as defined in the Electricity Act, 1998;
- Ontario Power Generation Inc., as defined in the Electricity Act, 1998;
- Every gas distributor and every gas transmitter, as those terms are defined in the Ontario Energy Board Act, 1998;
- Every Operator of a distribution system, as defined by the Electricity Act, 1998;
- Every person or entity regulated under the Oil, Gas and Salt Resources Act;
- Every person or entity that owns or operates underground infrastructure that crosses a public right of way or is in the vicinity of a public right of way.

Master Code

A Master Code is a blank station that groups multiple station codes belonging to one member (UIO). For example, a municipality may have one master code that groups multiple station codes that are used to divide up the municipality by region and/or type of infrastructure.

Grouping

Grouping is the number of days it takes for the member (UIO) to complete a notification.

No Response Provided

No Response Provided is a notification to a member (UIO) where they have not provided a response back to the Corporation (OOC) in 360 Feedback on the completion of their locate response.

Notification

Notification is a single notification sent from Ontario One Call to a member (UIO) to notify that there will be digging/excavating in the vicinity of their infrastructure.

Locate Request

Locate Request is comprised of multiple notifications to multiple members (UIOs) for the same excavation project.

The report was generated on 2026-08-24 02:00:33

For questions, contact Infrastructure Account Services at IAS@ON1Call.com or (844) 257-9490.

UIO Performance Report



Report Period	2026-07-01	-	2026-07-31
---------------	------------	---	------------



On Time	322,691	94.03%
Late	15,202	4.43%
No 360 Response	5,297	1.54%
Total	343,190	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
156 Columbia St Inc (COLBIA123)	COLB01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
1682468 Corp (168XPL01)	168XPL01	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	Total		-	-	3	100.00%	-	-	3
407 ETR (407ETR01)	407ETR01	0-5	105	100.00%	-	-	-	-	
		Total	105	100.00%	-	-	-	-	105
	Total		105	100.00%	-	-	-	-	105
Acronym Solutions Formerly Hydro One Telecom (HYT01)	HYT01	0-5	156	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	113	93.39%	8	6.61%	-	-	
		Total	269	93.40%	19	6.60%	-	-	288
	HYTOS01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	18	94.74%	1	5.26%	-	-	19
	HYTOW01	0-5	7	100.00%	-	-	-	-	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	18	94.74%	1	5.26%	-	-	19
	Total		305	93.56%	21	6.44%	-	-	326
Adelaide Metcalfe, Township Of (ADLMCF01)	ADLMCF01	16+	-	-	38	97.44%	1	2.56%	
		Total	-	-	38	97.44%	1	2.56%	39
	Total		-	-	38	97.44%	1	2.56%	39
Adelaide Wind Limited Partnership (AWLP01)	AWLP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Adjala-Tosorontio, Township Of (ADJTOS01)	ADJTOS01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	15	93.75%	1	6.25%	-	-	16
	Total		15	93.75%	1	6.25%	-	-	16
Agilis (AGILF01)	AGILF01	0-5	62	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	13	100.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	71	79.78%	5	5.62%	13	14.61%	89
	Total		71	79.78%	5	5.62%	13	14.61%	89
Air Liquide Canada (AL01)	AL01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Air Products Canada (APC1)	APC1	0-5	8	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	9	90.00%	1	10.00%	-	-	
	Total		9	90.00%	1	10.00%	-	-	10
Ajax, Town Of (AJXSL01)	AJXSL01	0-5	218	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	105	97.22%	3	2.78%	-	-	
	Total		323	96.71%	11	3.29%	-	-	334
	Total		323	96.71%	11	3.29%	-	-	334
Alectra Brampton (ALECBR01)	ALECBR01	0-5	1,132	100.00%	-	-	-	-	
		11-15	-	-	64	100.00%	-	-	
		16+	-	-	68	100.00%	-	-	
		6-10	315	95.74%	14	4.26%	-	-	
	Total		1,447	90.83%	146	9.17%	-	-	1593
	Total		1,447	90.83%	146	9.17%	-	-	1,593
Alectra Mississauga (Formerly Enersource) (ALECMS01)	ALECMS01	0-5	2,071	100.00%	-	-	-	-	
		11-15	-	-	82	100.00%	-	-	
		16+	-	-	92	100.00%	-	-	
		6-10	452	87.94%	62	12.06%	-	-	
	Total		2,523	91.45%	236	8.55%	-	-	2759
	Total		2,523	91.45%	236	8.55%	-	-	2,759
Alectra Utilities - Hamilton Hydro (HHP1)	HHP1	0-5	1,970	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	374	99.20%	3	0.80%	-	-	
	Total		2,344	98.90%	26	1.10%	-	-	2370
	Total		2,344	98.90%	26	1.10%	-	-	2,370
Alectra Utilities - St Catharines Hydro (SCH2)	SCH2	0-5	1,093	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	152	100.00%	-	-	-	-	
	Total		1,245	99.92%	1	0.08%	-	-	1246
	Total		1,245	99.92%	1	0.08%	-	-	1,246
Alectra Utilities (Formerly Powerstream) (PS1)	PSGN02	0-5	2,502	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	567	100.00%	-	-	-	-	
	Total		3,069	99.64%	11	0.36%	-	-	3080
	PSGN05	0-5	1,036	100.00%	-	-	-	-	
		6-10	172	98.85%	2	1.15%	-	-	
		Total	1,208	99.83%	2	0.17%	-	-	1210
	Total		4,277	99.70%	13	0.30%	-	-	4,290
Alectra Utilities (GHY01)	GHY01	0-5	639	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	94	100.00%	-	-	-	-	
	Total		733	99.46%	4	0.54%	-	-	737
	Total		733	99.46%	4	0.54%	-	-	737
Alfred Plantagenet, Township Of (ALFPLG01)	ALFPLG01	0-5	58	100.00%	-	-	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total		59	89.39%	7	10.61%	-	-	66
	Total		59	89.39%	7	10.61%	-	-	66

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Algoma Power (AGMP01)	AGMP01	0-5	321	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	326	98.79%	4	1.21%	-	-	330
	Total		326	98.79%	4	1.21%	-	-	330
Algoma Power (AGMP02)	AGMP02	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Algonquin College (ALGQC01)	ALGQC01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Algonquin Fiber (ALGQF01)	ALGQF01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	9	69.23%	2	15.38%	2	15.38%	13
	Total		9	69.23%	2	15.38%	2	15.38%	13
Alpine Ski Club (ALPINE01)	ALPINE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Aluxis Inc (ALUX01)	ALUX01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	2	40.00%	1	20.00%	2	40.00%	5
	Total		2	40.00%	1	20.00%	2	40.00%	5
Amaranth, Township Of (AMRWS01)	AMRWS01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Amherstburg Public Works (A005)	A005	0-5	205	100.00%	-	-	-	-	
		16+	-	-	-	-	15	100.00%	
		6-10	11	100.00%	-	-	-	-	
		Total	216	93.51%	-	-	15	6.49%	231
	AMHTL01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		216	92.70%	-	-	17	7.30%	233
Apotex (APX2)	APX2	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Arlanxeo Canada Inc (LXS01)	LXS01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Armstrong, Township Of (ARSG01)	ARSG01	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	Total		-	-	3	100.00%	-	-	3
Arnprior, Town Of (ARNPR01)	ARNPR01	0-5	91	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	99	96.12%	4	3.88%	-	-	103
	Total		99	96.12%	4	3.88%	-	-	103
Arran-Ederslie, Township Of (ARELD01)	ARELD01	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Arran-Ederslie, Township Of (ARELD01)	ARELD01	6-10	3	50.00%	3	50.00%	-	-	
		Total	42	85.71%	6	12.24%	1	2.04%	49
	Total		42	85.71%	6	12.24%	1	2.04%	49
Ashfield-Colborne-Wawanosh, Municipality Of (ACW123)	ACWSS01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	3	100.00%	
		Total	1	20.00%	-	-	4	80.00%	5
	ACWWS01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	6	100.00%	-	-	
		Total	6	46.15%	7	53.85%	-	-	13
	Total		7	38.89%	7	38.89%	4	22.22%	18
Asphodel Norwood, Township Of (ASPNOR01)	ASPNOR01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	9	60.00%	2	13.33%	4	26.67%	15
	Total		9	60.00%	2	13.33%	4	26.67%	15
Athens, Township Of (ATHS01)	ATHS01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Atikokan Hydro (ATH01)	ATH01	0-5	28	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
	Total		28	100.00%	-	-	-	-	28
Atikokan, Town Of (ATKWS01)	ATKWS01	0-5	30	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	30	96.77%	-	-	1	3.23%	31
	Total		30	96.77%	-	-	1	3.23%	31
Augusta, Township Of (AUGE01)	AUGE01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Aurora, Town Of (AURORA01)	AURORA01	0-5	64	100.00%	-	-	-	-	
		11-15	-	-	8	88.89%	1	11.11%	
		16+	-	-	7	43.75%	9	56.25%	
		6-10	23	76.67%	7	23.33%	-	-	
		Total	87	73.11%	22	18.49%	10	8.40%	119
	Total		87	73.11%	22	18.49%	10	8.40%	119
Axle Telecom (AXLT01)	AXLT01	0-5	40	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	61	98.39%	1	1.61%	-	-	62
	Total		61	98.39%	1	1.61%	-	-	62
Aylmer Area Secondary Water Supply (AASWS01)	AASWS01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	7	87.50%	-	-	1	12.50%	8
	Total		7	87.50%	-	-	1	12.50%	8
Aylmer, Town Of (AYLWS01)	AYLWS01	0-5	40	100.00%	-	-	-	-	
		6-10	3	30.00%	7	70.00%	-	-	
		Total	43	86.00%	7	14.00%	-	-	50
	OCWA01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		45	86.54%	7	13.46%	-	-	52

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Bancroft, Town Of (BNCF01)	BNCF01	11-15	-	-	-	-	5	100.00%	
		16+	-	-	-	-	35	100.00%	
		Total	-	-	-	-	40	100.00%	40
	Total		-	-	-	-	40	100.00%	40
Barrie, City Of (BARR01)	BARR01	0-5	659	100.00%	-	-	-	-	
		11-15	-	-	1	9.09%	10	90.91%	
		16+	-	-	-	-	309	100.00%	
		6-10	359	100.00%	-	-	-	-	
		Total	1,018	76.08%	1	0.07%	319	23.84%	1338
	Total		1,018	76.08%	1	0.07%	319	23.84%	1,338
Bayham, Municipality Of (BYH01)	BYH01	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	3	42.86%	4	57.14%	-	-	
		Total	28	82.35%	6	17.65%	-	-	34
	Total		28	82.35%	6	17.65%	-	-	34
Bayview Explorations Ltd (BVEPL01)	BVEPL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Beanfield Technologies (Formerly Aptum) (APTUM01)	APTUM01	0-5	378	100.00%	-	-	-	-	
		11-15	-	-	26	100.00%	-	-	
		16+	-	-	9	42.86%	12	57.14%	
		6-10	353	99.44%	2	0.56%	-	-	
		Total	731	93.72%	37	4.74%	12	1.54%	780
	Total		731	93.72%	37	4.74%	12	1.54%	780
Beanfield Technologies Inc (BEAN01)	BEAN01	0-5	377	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	201	100.00%	-	-	-	-	
		Total	578	99.66%	-	-	2	0.34%	580
	Total		578	99.66%	-	-	2	0.34%	580
Beausoleil First Nations (BSFN01)	BSFN01	11-15	-	-	1	33.33%	2	66.67%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	4	50.00%	2	25.00%	2	25.00%	8
	Total		4	50.00%	2	25.00%	2	25.00%	8
Beischlag Farms Inc (BSLGF01)	BSLGF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Bell Canada Damage Prevention (BC01)	360GTA	0-5	332	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	63	100.00%	-	-	-	-	
		Total	395	98.50%	6	1.50%	-	-	401
	360N	0-5	74	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	80	86.96%	12	13.04%	-	-	92
	360N01	0-5	223	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	235	97.51%	6	2.49%	-	-	241
	360OTT	0-5	34	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	41	100.00%	-	-	-	-	41

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Canada Damage Prevention (BC01)	BC80701	0-5	273	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	34	100.00%	-	-	
		6-10	58	90.63%	6	9.38%	-	-	
		Total	331	84.87%	59	15.13%	-	-	
	BC80703	0-5	10	100.00%	-	-	-	-	
		16+	-	-	19	100.00%	-	-	
		Total	10	34.48%	19	65.52%	-	-	
	BCGE01	0-5	3,327	100.00%	-	-	-	-	
		11-15	-	-	43	100.00%	-	-	
		16+	-	-	32	94.12%	2	5.88%	
		6-10	442	96.93%	14	3.07%	-	-	
		Total	3,769	97.64%	89	2.31%	2	0.05%	
	BCGN01	0-5	3,801	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	13	81.25%	3	18.75%	
		6-10	568	96.93%	18	3.07%	-	-	
		Total	4,369	98.87%	47	1.06%	3	0.07%	
	BCGN02	0-5	2,456	100.00%	-	-	-	-	
		11-15	-	-	39	100.00%	-	-	
		16+	-	-	84	96.55%	3	3.45%	
		6-10	127	79.87%	32	20.13%	-	-	
		Total	2,583	94.24%	155	5.65%	3	0.11%	
	BCGTAA01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	25	89.29%	3	10.71%	-	-	
	BCGW01	0-5	3,201	100.00%	-	-	-	-	
		11-15	-	-	105	100.00%	-	-	
		16+	-	-	109	97.32%	3	2.68%	
		6-10	441	92.84%	34	7.16%	-	-	
		Total	3,642	93.55%	248	6.37%	3	0.08%	
	BCGW02	0-5	824	100.00%	-	-	-	-	
		11-15	-	-	58	100.00%	-	-	
		16+	-	-	40	95.24%	2	4.76%	
		6-10	209	95.43%	10	4.57%	-	-	
		Total	1,033	90.38%	108	9.45%	2	0.17%	
	BCHN01	0-5	7,724	100.00%	-	-	-	-	
		11-15	-	-	104	100.00%	-	-	
		16+	-	-	37	80.43%	9	19.57%	
		6-10	1,271	93.11%	94	6.89%	-	-	
		Total	8,995	97.36%	235	2.54%	9	0.10%	
	BCOE01	0-5	9,403	100.00%	-	-	-	-	
		11-15	-	-	155	100.00%	-	-	
		16+	-	-	62	81.58%	14	18.42%	
		6-10	1,264	96.34%	48	3.66%	-	-	
		Total	10,667	97.45%	265	2.42%	14	0.13%	
	BCONE01	0-5	2,494	100.00%	-	-	-	-	
		11-15	-	-	66	100.00%	-	-	
		16+	-	-	28	100.00%	-	-	
		6-10	415	93.26%	30	6.74%	-	-	
		Total	2,909	95.91%	124	4.09%	-	-	
	BCONW01	0-5	74	100.00%	-	-	-	-	
		6-10	28	100.00%	-	-	-	-	
		Total	102	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Canada Damage Prevention (BC01)	BCONW02	0-5	37	100.00%	-	-	-	-	47
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	41	87.23%	6	12.77%	-	-	
	BCOS01	0-5	5,331	100.00%	-	-	-	-	6487
		11-15	-	-	93	100.00%	-	-	
		16+	-	-	17	89.47%	2	10.53%	
		6-10	995	95.31%	49	4.69%	-	-	
		Total	6,326	97.52%	159	2.45%	2	0.03%	
	BCOW01	0-5	7,542	100.00%	-	-	-	-	8670
		11-15	-	-	58	100.00%	-	-	
		16+	-	-	5	45.45%	6	54.55%	
		6-10	1,008	95.18%	51	4.82%	-	-	
		Total	8,550	98.62%	114	1.31%	6	0.07%	
	BCTE01	0-5	2,738	100.00%	-	-	-	-	3204
		11-15	-	-	36	100.00%	-	-	
		16+	-	-	23	95.83%	1	4.17%	
		6-10	395	97.29%	11	2.71%	-	-	
		Total	3,133	97.78%	70	2.18%	1	0.03%	
	BCTW01N	0-5	1,343	100.00%	-	-	-	-	1606
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	236	95.16%	12	4.84%	-	-	
		Total	1,579	98.32%	26	1.62%	1	0.06%	
	BCTW01S	0-5	1,618	100.00%	-	-	-	-	1998
		11-15	-	-	32	100.00%	-	-	
		16+	-	-	17	94.44%	1	5.56%	
		6-10	321	97.27%	9	2.73%	-	-	
		Total	1,939	97.05%	58	2.90%	1	0.05%	
	BFTHTOR2	16+	-	-	-	-	20	100.00%	20
		Total	-	-	-	-	20	100.00%	
	Total		60,754	97.00%	1,809	2.89%	67	0.11%	62,630
Belleville, City Of (BLV01)	BLV01	0-5	207	100.00%	-	-	-	-	207
		Total	207	100.00%	-	-	-	-	
	Total		207	100.00%	-	-	-	-	207
Billings, Township Of (BLGWS01)	BLGWS01	16+	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Birch Hill Telecom (BHTI01)	BHTI01	0-5	17	100.00%	-	-	-	-	58
		11-15	-	-	1	33.33%	2	66.67%	
		6-10	38	100.00%	-	-	-	-	
		Total	55	94.83%	1	1.72%	2	3.45%	
	Total		55	94.83%	1	1.72%	2	3.45%	58
Blackriver Matheson, Township Of (BRMS01)	BRMS01	0-5	6	100.00%	-	-	-	-	7
		16+	-	-	-	-	1	100.00%	
		Total	6	85.71%	-	-	1	14.29%	
	Total		6	85.71%	-	-	1	14.29%	7
Blandford-Blenheim, Township Of (BLBL01)	BLBL01	0-5	26	100.00%	-	-	-	-	26
		Total	26	100.00%	-	-	-	-	
	Total		26	100.00%	-	-	-	-	26
Blind River, Town Of (BLR01)	BLR01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Blind River, Town Of (BLR01)	BLR01	6-10	1	33.33%	2	66.67%	-	-	
		Total	11	52.38%	7	33.33%	3	14.29%	21
	Total		11	52.38%	7	33.33%	3	14.29%	21
Blue Mountain Golf and Country Club (BMGCC01)	BMGCC01	16+	-	-	6	85.71%	1	14.29%	
		Total	-	-	6	85.71%	1	14.29%	7
	Total		-	-	6	85.71%	1	14.29%	7
Blue Mountain Resorts Lp (BMR01)	BMR01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Blue Mountain Village Association (BMVA01)	BMVA01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Blue Mountains, Town Of The (BMTN123)	BMTN03	0-5	114	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	125	100.00%	-	-	-	-	125
	Total		125	100.00%	-	-	-	-	125
Bluewater Power (S003)	S003	0-5	539	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	115	99.14%	1	0.86%	-	-	
		Total	654	99.24%	3	0.46%	2	0.30%	659
	Total		654	99.24%	3	0.46%	2	0.30%	659
Bluewater Regional Networks Fibre (BWRNF01)	BWRNF01	0-5	34	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	48	100.00%	-	-	-	-	48
	Total		48	100.00%	-	-	-	-	48
Bluewater Wind Farm - Varna (Nee) (BWWF01)	BWWF01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Bluewater, Municipality Of (BLW01)	BLW01	0-5	90	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	90	96.77%	-	-	3	3.23%	93
	Total		90	96.77%	-	-	3	3.23%	93
Boem Berry Farms Inc (MCFMS01)	MCFMS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Bonnechere Valley, Township Of (BCVWS01)	BCVWS01	0-5	33	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	42	97.67%	-	-	1	2.33%	43
	Total		42	97.67%	-	-	1	2.33%	43
Boralex (BOR123)	BORWF02	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	BORWF05	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BORWF06	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BORWF07	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BORWF08	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		9	100.00%	-	-	-	-	9

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Bracebridge, Town Of (BBRSS01)	BBRSS01	0-5	21	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	37
	Total		37	100.00%	-	-	-	-	37
Bradford-West Gwillimbury, Town Of (BFWG123)	BFWGSL01	0-5	63	100.00%	-	-	-	-	
		16+	-	-	5	83.33%	1	16.67%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	66	90.41%	6	8.22%	1	1.37%	73
	BFWGSS01	0-5	71	100.00%	-	-	-	-	
		16+	-	-	5	83.33%	1	16.67%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	75	91.46%	6	7.32%	1	1.22%	82
	BFWGW01	0-5	95	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	5	71.43%	2	28.57%	-	-	
		Total	100	95.24%	5	4.76%	-	-	105
	Total		241	92.69%	17	6.54%	2	0.77%	260
Brampton Storm, City Of (COBSS01)	COBSS01	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	80	96.39%	3	3.61%	
		16+	-	-	1	1.23%	80	98.77%	
		6-10	36	80.00%	9	20.00%	-	-	
		Total	65	27.31%	90	37.82%	83	34.87%	238
	Total		65	27.31%	90	37.82%	83	34.87%	238
Brampton Street Lighting, City Of (CBGW01)	CBGW01	0-5	160	100.00%	-	-	-	-	
		11-15	-	-	182	93.81%	12	6.19%	
		16+	-	-	7	3.03%	224	96.97%	
		6-10	67	44.67%	83	55.33%	-	-	
		Total	227	30.88%	272	37.01%	236	32.11%	735
	Total		227	30.88%	272	37.01%	236	32.11%	735
Brant, County Of - Fibre (BRNTF01)	BRNTF01	16+	-	-	9	100.00%	-	-	
		Total	-	-	9	100.00%	-	-	9
	Total		-	-	9	100.00%	-	-	9
Brant, County Of (BRNT01)	BRNT01	0-5	183	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	184	97.87%	4	2.13%	-	-	188
	Total		184	97.87%	4	2.13%	-	-	188
Brantford, The City Of (BRAS01)	BRAS01	0-5	170	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		6-10	166	98.81%	2	1.19%	-	-	
		Total	336	95.73%	15	4.27%	-	-	351
	Total		336	95.73%	15	4.27%	-	-	351
Brantford, The City Of (BRASL01)	BRASL01	0-5	178	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		6-10	98	100.00%	-	-	-	-	
		Total	276	96.50%	10	3.50%	-	-	286
	Total		276	96.50%	10	3.50%	-	-	286
Brantford, The City Of (BRATL01)	BRATL01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	23	82.14%	5	17.86%	-	-	28
	Total		23	82.14%	5	17.86%	-	-	28
Brighton, Municipality Of (BRTSS01)	BRTSS01	0-5	120	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Brighton, Municipality Of (BRTSS01)	BRTSS01	6-10	2	40.00%	3	60.00%	-	-	
		Total	122	93.13%	3	2.29%	6	4.58%	131
	Total		122	93.13%	3	2.29%	6	4.58%	131
Brighton, Municipality Of (BRTWS01)	BRTWS01	0-5	48	100.00%	-	-	-	-	
		16+	-	-	1	14.29%	6	85.71%	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	49	84.48%	3	5.17%	6	10.34%	58
	Total		49	84.48%	3	5.17%	6	10.34%	58
Brock University (BROCKU01)	BROCKU01	0-5	5	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Brock, Township Of (BRCK01)	BRCK01	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	30	85.71%	3	8.57%	2	5.71%	35
	Total		30	85.71%	3	8.57%	2	5.71%	35
Brockton, Municipality Of (BTNWS01)	BTNWS01	0-5	36	100.00%	-	-	-	-	
		6-10	2	33.33%	4	66.67%	-	-	
		Total	38	90.48%	4	9.52%	-	-	42
	Total		38	90.48%	4	9.52%	-	-	42
Brockville, City Of (BRKV01)	BRKV01	0-5	166	100.00%	-	-	-	-	
		16+	-	-	-	-	13	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	168	92.82%	-	-	13	7.18%	181
	Total		168	92.82%	-	-	13	7.18%	181
Brooke Alvinston, Municipality Of (BRALWS01)	BRALWS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Brooke Telecom (B004)	B004	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	145	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	38	20.54%	147	79.46%	-	-	185
	Total		38	20.54%	147	79.46%	-	-	185
Bruce Mines, Town Of (BMWS01)	BMWS01	0-5	25	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	25	92.59%	-	-	2	7.41%	27
	Total		25	92.59%	-	-	2	7.41%	27
Bruce Power (BRCP01)	BRCP01	11-15	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Bruce Street Technologies Limited (BSTL01)	BSTL01	0-5	14	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Bruce Telecom (BTL01)	BTL01	0-5	302	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	142	99.30%	1	0.70%	-	-	
		Total	444	97.37%	11	2.41%	1	0.22%	456
	Total		444	97.37%	11	2.41%	1	0.22%	456

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Bruce, County Of (BRC01)	BRC01	0-5	265	100.00%	-	-	-	-	
		6-10	43	100.00%	-	-	-	-	
		Total	308	100.00%	-	-	-	-	308
	Total		308	100.00%	-	-	-	-	308
Burks Falls, Village Of (BURFAL01)	BURFAL01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	13	86.67%	-	-	2	13.33%	15
	Total		13	86.67%	-	-	2	13.33%	15
Burlington Hydro (BH01)	BH01	11-15	-	-	-	-	105	100.00%	
		16+	-	-	-	-	982	100.00%	
		Total	-	-	-	-	1,087	100.00%	1087
	Total		-	-	-	-	1,087	100.00%	1,087
Burlington, City Of (BRL123)	BRLSL01	0-5	312	100.00%	-	-	-	-	
		6-10	36	100.00%	-	-	-	-	
		Total	348	100.00%	-	-	-	-	348
	BRLSS01	0-5	223	100.00%	-	-	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	247	100.00%	-	-	-	-	247
	BRLTS01	0-5	23	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	Total		625	100.00%	-	-	-	-	625
Caledon, Town Of (CALEDO01)	CALEDO01	0-5	208	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	94	100.00%	-	-	-	-	
		Total	302	99.02%	3	0.98%	-	-	305
	Total		302	99.02%	3	0.98%	-	-	305
Callander, Municipality Of (CLN01)	CLN01	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	25	89.29%	1	3.57%	2	7.14%	28
	Total		25	89.29%	1	3.57%	2	7.14%	28
Cambridge, City Of (CAM123)	CAMS01	0-5	242	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	10	100.00%	-	-	-	-	
		Total	252	99.21%	-	-	2	0.79%	254
	CAMW01	0-5	206	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	3	100.00%	
		6-10	39	100.00%	-	-	-	-	
		Total	245	98.39%	-	-	4	1.61%	249
	Total		497	98.81%	-	-	6	1.19%	503
Cameron Petroleum (CAMPL01)	CAMPL01	16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	8	100.00%	8
	Total		-	-	-	-	8	100.00%	8
Canadian Niagara Power (CNP01)	CNP01	0-5	421	100.00%	-	-	-	-	
		6-10	30	96.77%	1	3.23%	-	-	
		Total	451	99.78%	1	0.22%	-	-	452
	Total		451	99.78%	1	0.22%	-	-	452
Canadian Nuclear Laboratories (AECL01)	AECL01	11-15	-	-	-	-	7	100.00%	
		16+	-	-	-	-	194	100.00%	
		Total	-	-	-	-	201	100.00%	201
	Total		-	-	-	-	201	100.00%	201

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Carleton Place, Town Of (CRLP01)	CRLP01	0-5	136	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	138	95.17%	7	4.83%	-	-	
	Total		138	95.17%	7	4.83%	-	-	145
Cascara Energy - Formerly Guelph Municipal Holdings (ECEPL01)	ECEPL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Casselman, Village Of (CSLMN01)	CSLMN01	0-5	35	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	35	97.22%	-	-	1	2.78%	36
	Total		35	97.22%	-	-	1	2.78%	36
Cavan Monaghan, Township Of (CVNM01)	CVNM01	0-5	10	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	10	83.33%	1	8.33%	1	8.33%	12
	Total		10	83.33%	1	8.33%	1	8.33%	12
Cedar Point Ii Wind Farm (CP2WF01)	CP2WF01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	8	88.89%	-	-	1	11.11%	9
	Total		8	88.89%	-	-	1	11.11%	9
Celerity Telecom Inc (CTI01)	CTI01	11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	14	100.00%	
		Total	-	-	1	6.25%	15	93.75%	16
	Total		-	-	1	6.25%	15	93.75%	16
Centennial College (CTNLC01)	CTNLC01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Centra Transmission Holdings Inc (CTH01)	CTH01	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		12	100.00%	-	-	-	-	12
Central Elgin, Municipality Of (CELGN01)	CELGN01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		6-10	31	77.50%	9	22.50%	-	-	
		Total	52	68.42%	24	31.58%	-	-	76
	Total		52	68.42%	24	31.58%	-	-	76
Central Huron, Municipality Of (CHW01)	CHW01	0-5	28	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	Total		30	100.00%	-	-	-	-	30
Central Manitoulin, Municipality Of (CTMTN01)	CTMTN01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Centre Hastings, Municipality Of (CHS01)	CHS01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	13	86.67%	1	6.67%	1	6.67%	15
	Total		13	86.67%	1	6.67%	1	6.67%	15
Centre Wellington Communications (CWC01)	CWC01	0-5	23	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	35
	Total		35	100.00%	-	-	-	-	35

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Centre Wellington Hydro (CWH01)	CWH01	0-5	149	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	151	100.00%	-	-	-	-	151
	Total		151	100.00%	-	-	-	-	151
Centre Wellington, Township Of (CTW01)	CTW01	0-5	116	100.00%	-	-	-	-	
		11-15	-	-	14	93.33%	1	6.67%	
		16+	-	-	-	-	2	100.00%	
		6-10	20	41.67%	28	58.33%	-	-	
		Total	136	75.14%	42	23.20%	3	1.66%	181
	Total		136	75.14%	42	23.20%	3	1.66%	181
Century Link (LVL3)	LVL3	0-5	342	100.00%	-	-	-	-	
		16+	-	-	7	53.85%	6	46.15%	
		6-10	3	100.00%	-	-	-	-	
		Total	345	96.37%	7	1.96%	6	1.68%	358
	Total		345	96.37%	7	1.96%	6	1.68%	358
Champion Pipeline Corp (CPL1)	CPL1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Champlain, Township Of (CHPLN123)	CHPLS01	0-5	24	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	29	87.88%	-	-	4	12.12%	33
	CHPLSL01	0-5	15	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	CHPLSS01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	26	86.67%	-	-	4	13.33%	30
	CHPLW01	0-5	36	100.00%	-	-	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	43	86.00%	-	-	7	14.00%	50
	Total		114	88.37%	-	-	15	11.63%	129
Chapleau, Township Of (CHPWSS01)	CHPWSS01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	4	66.67%	1	16.67%	1	16.67%	6
	Total		4	66.67%	1	16.67%	1	16.67%	6
Chapple, Municipality Of (CHPLE01)	CHPLE01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Charlton And Dack, Municipality Of (CHDWSL01)	CHDWSL01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Chatham Kent PUC (CKPUC123)	CKPUC01	0-5	130	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	102	99.03%	1	0.97%	-	-	
		Total	232	99.15%	2	0.85%	-	-	234
	CKPUC02	0-5	110	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Chatham Kent PUC (CKPUC123)	CKPUC02	6-10	99	100.00%	-	-	-	-	
		Total	209	97.66%	3	1.40%	2	0.93%	214
	CKPUC03	0-5	124	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	62	95.38%	3	4.62%	-	-	
		Total	186	97.38%	5	2.62%	-	-	191
	CKPUC04	0-5	48	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	9	100.00%	
		6-10	45	97.83%	1	2.17%	-	-	
		Total	93	82.30%	11	9.73%	9	7.96%	113
	Total		720	95.74%	21	2.79%	11	1.46%	752
Chatham Kent Ridgetown Division (CK02)	CK02	0-5	9	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Chatham Resources (CRPL01)	CRPL01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	-	-	2	100.00%	-	-	
		Total	2	28.57%	2	28.57%	3	42.86%	7
	Total		2	28.57%	2	28.57%	3	42.86%	7
Chatham-Kent Engineering And Transportation (CKTS01)	CKTS01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	13	92.86%	1	7.14%	-	-	14
	Total		13	92.86%	1	7.14%	-	-	14
Chatsworth, Township Of (CTSWW01)	CTSWW01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Chippewas Of Kettle & Stony Point (CKSP01)	CKSP01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	3	75.00%	1	25.00%	
		16+	-	-	-	-	4	100.00%	
		6-10	-	-	5	100.00%	-	-	
		Total	4	23.53%	8	47.06%	5	29.41%	17
	Total		4	23.53%	8	47.06%	5	29.41%	17
Chippewas Of Rama (CHPPWA01)	CHPPWA01	0-5	2	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total		2	66.67%	1	33.33%	-	-	3
Chrysler Canada (CHRYSL01)	CHRYSL01	16+	-	-	2	66.67%	1	33.33%	
		Total	-	-	2	66.67%	1	33.33%	3
	Total		-	-	2	66.67%	1	33.33%	3
Cik Telecom (CIKT01)	CIKT01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	2	40.00%	3	60.00%	
		16+	-	-	18	72.00%	7	28.00%	
		6-10	13	100.00%	-	-	-	-	
		Total	19	38.78%	20	40.82%	10	20.41%	49
	Total		19	38.78%	20	40.82%	10	20.41%	49
City Of Woodstock Street Light & Traffic Signals Wdslt01 (WDSLTL01)	WDSLTL01	0-5	154	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	162	100.00%	-	-	-	-	162
	Total		162	100.00%	-	-	-	-	162
Ckpw Chatham Township Garage (CK08)	CK08	0-5	15	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Ckpw Chatham Township Garage (CK08)	CK08	6-10	5	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
	Total		20	100.00%	-	-	-	-	20
Ckpw Chatham Water Garage (CK01)	CK01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	16	66.67%	8	33.33%	-	-	
		Total	21	41.18%	28	54.90%	2	3.92%	51
	Total		21	41.18%	28	54.90%	2	3.92%	51
Ckpw Dover Township Garage (CK06)	CK06	0-5	12	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	13	92.86%	1	7.14%	-	-	14
	Total		13	92.86%	1	7.14%	-	-	14
Ckpw Kent Centre Garage (CK03)	CK03	0-5	21	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	21	91.30%	2	8.70%	-	-	23
	Total		21	91.30%	2	8.70%	-	-	23
Ckpw Raleigh Garage (CK04)	CK04	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	8	61.54%	5	38.46%	-	-	13
	Total		8	61.54%	5	38.46%	-	-	13
Ckpw Thamesville Garage (CK09)	CK09	0-5	24	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total		24	100.00%	-	-	-	-	24
Ckpw Tilbury East Garage (CK05)	CK05	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	31	83.78%	6	16.22%	-	-	37
	Total		31	83.78%	6	16.22%	-	-	37
Ckpw Wallaceburg Garage (CK07)	CK07	0-5	3	100.00%	-	-	-	-	
		16+	-	-	19	100.00%	-	-	
		Total	3	13.64%	19	86.36%	-	-	22
	Total		3	13.64%	19	86.36%	-	-	22
Clarence-Rockland, City Of (CLRK01)	CLRK01	0-5	129	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	130	100.00%	-	-	-	-	130
	Total		130	100.00%	-	-	-	-	130
Clarington, Municipality Of (CLRG123)	CLRGSL01	0-5	68	100.00%	-	-	-	-	
		6-10	36	94.74%	2	5.26%	-	-	
		Total	104	98.11%	2	1.89%	-	-	106
	CLRGSS01	0-5	65	100.00%	-	-	-	-	
		Total	65	100.00%	-	-	-	-	65
	Total		169	98.83%	2	1.17%	-	-	171
Clearbeach Resources Inc (CBRPL01)	CBRPL01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	12	60.00%	7	35.00%	1	5.00%	20
	Total		12	60.00%	7	35.00%	1	5.00%	20
Clearford (LBWW01)	LBWW01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Clearview, Township Of (CLRV01)	CLRV01	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	8	50.00%	8	50.00%	-	-	
		Total	52	77.61%	12	17.91%	3	4.48%	
	Total		52	77.61%	12	17.91%	3	4.48%	67
Cobalt, Town Of (CBLWSS01)	CBLWSS01	16+	-	-	2	66.67%	1	33.33%	
		Total	-	-	2	66.67%	1	33.33%	
	Total		-	-	2	66.67%	1	33.33%	3
Cobourg, Town Of (CBRG123)	CBRGS01	0-5	151	100.00%	-	-	-	-	
		Total	151	100.00%	-	-	-	-	
	Total		151	100.00%	-	-	-	-	151
Cochrane Telecom Services (CCT01)	CCT01	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	33.33%	12	66.67%	-	-	
		Total	31	48.44%	32	50.00%	1	1.56%	
	Total		31	48.44%	32	50.00%	1	1.56%	64
Cochrane, Town Of (COCRAN01)	COCRAN01	0-5	29	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	29	87.88%	-	-	4	12.12%	
	Total		29	87.88%	-	-	4	12.12%	33
Cogeco Cable Canada (CBT1)	CBT1	0-5	759	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	15	100.00%	-	-	
		6-10	595	99.00%	6	1.00%	-	-	
		Total	1,354	97.27%	38	2.73%	-	-	
	Total		1,354	97.27%	38	2.73%	-	-	1,392
Cogeco Cable Canada (CPVS1)	CPVS1	0-5	1,086	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	1	100.00%	-	-	
		6-10	430	100.00%	-	-	-	-	
		Total	1,516	99.80%	2	0.13%	1	0.07%	
	Total		1,516	99.80%	2	0.13%	1	0.07%	1,519
Cogeco Cable Canada (CPVS2)	CBT2	0-5	154	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	81	97.59%	2	2.41%	-	-	
		Total	235	95.14%	12	4.86%	-	-	
	CPVS2	0-5	178	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	155	100.00%	-	-	-	-	
		Total	333	98.23%	6	1.77%	-	-	
	Total		568	96.93%	18	3.07%	-	-	586
Cogeco Connexion (COGOW01)	COGOW01	0-5	96	100.00%	-	-	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	117	100.00%	-	-	-	-	
	Total		117	100.00%	-	-	-	-	117
Cogeco Connexion (COGOW02)	COGOW02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Cogeco Connexion North East (CCNE123)	COGE01	0-5	593	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Cogeco Connexion North East (CCNE123)	COGE01	6-10	74	100.00%	-	-	-	-	
		Total	667	98.52%	10	1.48%	-	-	677
	COOE01	0-5	437	100.00%	-	-	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	115	100.00%	-	-	-	-	
		Total	552	98.75%	7	1.25%	-	-	559
	COONE01	0-5	117	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	82	96.47%	3	3.53%	-	-	
		Total	199	92.13%	15	6.94%	2	0.93%	216
	Total		1,418	97.66%	32	2.20%	2	0.14%	1,452
Cogeco Connexion Southwest (CC01)	COC01	0-5	150	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	52	94.55%	3	5.45%	-	-	
		Total	202	92.66%	15	6.88%	1	0.46%	218
	COE01	0-5	478	100.00%	-	-	-	-	
		11-15	-	-	40	97.56%	1	2.44%	
		16+	-	-	5	100.00%	-	-	
		6-10	283	95.93%	12	4.07%	-	-	
		Total	761	92.92%	57	6.96%	1	0.12%	819
	COL01	0-5	296	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	118	92.19%	10	7.81%	-	-	
		Total	414	93.03%	29	6.52%	2	0.45%	445
	Total		1,377	92.91%	101	6.82%	4	0.27%	1,482
Coleman, Township Of (CLMN01)	CLMN01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Collingwood Public Utilities (COLL123)	COLLS01	0-5	136	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	7	70.00%	3	30.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	139	92.05%	9	5.96%	3	1.99%	151
	COLLW01	0-5	163	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	163	98.79%	2	1.21%	-	-	165
	Total		302	95.57%	11	3.48%	3	0.95%	316
Comber Wind Farm (COMBWF01)	COMBWF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	1	33.33%	1	33.33%	1	33.33%	3
	Total		1	33.33%	1	33.33%	1	33.33%	3
Communicate Freely (CFF01)	CFF01	0-5	83	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	97	100.00%	-	-	-	-	97
	Total		97	100.00%	-	-	-	-	97
Community Fibre Company (CFC01)	CFC01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	49	100.00%	
		Total	-	-	-	-	50	100.00%	50
	Total		-	-	-	-	50	100.00%	50

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Connect The Dots Fibre Communications Inc (CTDFC01)	CTDFC01	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	11	32.35%	23	67.65%	-	-	
		Total	39	58.21%	27	40.30%	1	1.49%	
	Total		39	58.21%	27	40.30%	1	1.49%	67
Cornwall Electric (CE01)	CE01	0-5	391	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	397	100.00%	-	-	-	-	
	Total		397	100.00%	-	-	-	-	397
Cornwall, City Of (CRWL123)	CRWLSL01	0-5	66	100.00%	-	-	-	-	
		Total	66	100.00%	-	-	-	-	
	CRWLTS01	0-5	4	100.00%	-	-	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	9	90.00%	1	10.00%	-	-	
	Total		75	98.68%	1	1.32%	-	-	76
Cornwall, City Of (Water & Sewer) (CRWLWS01)	CRWLWS01	0-5	109	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	4	57.14%	3	42.86%	
		Total	109	92.37%	5	4.24%	4	3.39%	
	Total		109	92.37%	5	4.24%	4	3.39%	118
Cramahe Township - Colborne Water (COLBW01)	COLBW01	0-5	7	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	
	Total		15	100.00%	-	-	-	-	15
Cramahe, Township Of (CRAM123)	CRAMS01	0-5	21	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	21	95.45%	1	4.55%	-	-	
	Total		21	95.45%	1	4.55%	-	-	22
Dawn-Euphemia, Township Of (DE01)	DE01	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	17	58.62%	12	41.38%	-	-	
		Total	60	63.83%	32	34.04%	2	2.13%	
	Total		60	63.83%	32	34.04%	2	2.13%	94
Dbi Services (DBIS01)	DBIS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	5	83.33%	1	16.67%	-	-	
	Total		5	83.33%	1	16.67%	-	-	6
Deep River, Town Of (DRI01)	DRI01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	-	-	9	100.00%	
		Total	23	71.88%	-	-	9	28.13%	
	Total		23	71.88%	-	-	9	28.13%	32
Deseronto, Town Of (DSR01)	DSR01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	
	Total		-	-	-	-	5	100.00%	5
Dofasco (Arcelormittal) (AMD01)	AMD01	16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	2	66.67%	-	-	1	33.33%	
	Total		2	66.67%	-	-	1	33.33%	3
Dotto One (DTONF01)	DTONF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Douro-Dummer, Township Of (DRODUM01)	DRODUM01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
		Total	-	-	1	100.00%	-	-	1
Dow Chemical Canada (DOWPL01)	DOWPL01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Dryden, City Of (DRYD01)	DRYD01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	54	94.74%	3	5.26%	
		6-10	1	100.00%	-	-	-	-	
		Total	14	18.92%	57	77.03%	3	4.05%	74
		Total	14	18.92%	57	77.03%	3	4.05%	74
Dubreuville, The Corporation Of The Township Of (DBVL01)	DBVL01	16+	-	-	4	66.67%	2	33.33%	
		Total	-	-	4	66.67%	2	33.33%	6
		Total	-	-	4	66.67%	2	33.33%	6
Dufferin County (DFRN01)	DFRN01	0-5	19	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	19	86.36%	-	-	3	13.64%	22
		Total	19	86.36%	-	-	3	13.64%	22
Dufferin Wind Power Inc (DFWF01)	DFWF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Durham One Net (DON01)	DON01	0-5	86	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	332	100.00%	-	-	-	-	
		Total	418	99.76%	1	0.24%	-	-	419
		Total	418	99.76%	1	0.24%	-	-	419
Durham Region Water And Sewer (DURWS123)	DURWS01	0-5	290	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	98	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	306	75.56%	98	24.20%	1	0.25%	405
	DURWS02	0-5	292	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	20	55.56%	16	44.44%	-	-	
		Total	312	94.55%	17	5.15%	1	0.30%	330
	DURWS03	0-5	163	100.00%	-	-	-	-	
		Total	163	100.00%	-	-	-	-	163
	DURWS04	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	29	100.00%	-	-	
		16+	-	-	57	100.00%	-	-	
		6-10	5	62.50%	3	37.50%	-	-	
		Total	9	9.18%	89	90.82%	-	-	98
	DURWS05	0-5	32	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	2	100.00%	-	-	
		Total	32	91.43%	2	5.71%	1	2.86%	35
		Total	822	79.73%	206	19.98%	3	0.29%	1,031
Durham, Region Of - Traffic Signals (DTGE01)	DTGE01	0-5	86	100.00%	-	-	-	-	
		11-15	-	-	65	92.86%	5	7.14%	
		16+	-	-	-	-	24	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Durham, Region Of - Traffic Signals (DTGE01)	DTGE01	6-10	16	76.19%	5	23.81%	-	-	
		Total	102	50.75%	70	34.83%	29	14.43%	201
	Total		102	50.75%	70	34.83%	29	14.43%	201
Dutton-Dunwich, Municipality Of (DTDNW01)	DTDNW01	0-5	25	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	50.00%	6	50.00%	-	-	
		Total	31	81.58%	6	15.79%	1	2.63%	38
	Total		31	81.58%	6	15.79%	1	2.63%	38
Dysart Et Al. (DYST123)	DYST01	16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	7	100.00%	7
	Total		-	-	-	-	7	100.00%	7
E L K Energy Inc (E001)	E001	0-5	128	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	130	100.00%	-	-	-	-	130
	Total		130	100.00%	-	-	-	-	130
Ear Falls, Township Of (ERFLS01)	ERFLS01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	6	85.71%	-	-	1	14.29%	7
	Total		6	85.71%	-	-	1	14.29%	7
East Gwillimbury, Town Of (EGWL123)	EGWLSL01	0-5	34	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	51	96.23%	2	3.77%	-	-	
		Total	85	92.39%	5	5.43%	2	2.17%	92
	EGWLSS01	0-5	52	100.00%	-	-	-	-	
		Total	52	100.00%	-	-	-	-	52
	EGWLW01	0-5	64	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	64	98.46%	-	-	1	1.54%	65
	EGWLWW01	0-5	49	100.00%	-	-	-	-	
		Total	49	100.00%	-	-	-	-	49
	Total		250	96.90%	5	1.94%	3	1.16%	258
East Hawkesbury, Township Of (EHWKB01)	EHWKB01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
East Lake St Clair Wind Farm Lp (ELSCWF01)	ELSCWF01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
East Luther And Grand Valley, Township Of (ELGVWS01)	ELGVWS01	0-5	23	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	23	92.00%	2	8.00%	-	-	25
	Total		23	92.00%	2	8.00%	-	-	25
East Zorra Tavistock, Municipality Of (EZRTVS01)	EZRTVS01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	71	98.61%	1	1.39%	
		Total	9	10.47%	76	88.37%	1	1.16%	86
	Total		9	10.47%	76	88.37%	1	1.16%	86
Eastern Ontario Power (EOP01)	EOP01	0-5	52	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	54	100.00%	-	-	-	-	54
	Total		54	100.00%	-	-	-	-	54

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Eastern Power Inc (EP01)	EP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Eastlink (EL123)	ELGE01	0-5	66	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	18	60.00%	12	40.00%	-	-	
		Total	84	73.68%	28	24.56%	2	1.75%	114
	ELGN02	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	ELOE01	0-5	48	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	7	70.00%	3	30.00%	-	-	
		Total	55	84.62%	8	12.31%	2	3.08%	65
	ELOE02	0-5	150	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	152	100.00%	-	-	-	-	152
	ELONE01	0-5	382	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	389	99.49%	1	0.26%	1	0.26%	391
	ELONE02	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	75.00%	2	25.00%	-	-	8
	ELONE03	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	4	100.00%	-	-	
		Total	10	62.50%	5	31.25%	1	6.25%	16
	ELONE04	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	13	61.90%	8	38.10%	-	-	
		Total	60	84.51%	10	14.08%	1	1.41%	71
	ELONE05	0-5	53	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	56	100.00%	-	-	-	-	56
	ELONE06	0-5	43	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	46	100.00%	-	-	-	-	46
	ELONE07	0-5	84	100.00%	-	-	-	-	
		6-10	28	100.00%	-	-	-	-	
		Total	112	100.00%	-	-	-	-	112
	ELONE08	0-5	5	100.00%	-	-	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	6	75.00%	2	25.00%	-	-	8
	ELONE09	0-5	23	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Eastlink (EL123)	ELOS01	0-5	45	100.00%	-	-	-	-	49
		6-10	3	75.00%	1	25.00%	-	-	
		Total	48	97.96%	1	2.04%	-	-	
	ELOS02	0-5	153	100.00%	-	-	-	-	170
		6-10	17	100.00%	-	-	-	-	
		Total	170	100.00%	-	-	-	-	
	ELOW01	0-5	141	100.00%	-	-	-	-	194
		11-15	-	-	3	100.00%	-	-	
		6-10	50	100.00%	-	-	-	-	
		Total	191	98.45%	3	1.55%	-	-	
	ELOW02	0-5	101	100.00%	-	-	-	-	114
		11-15	-	-	6	100.00%	-	-	
		6-10	5	71.43%	2	28.57%	-	-	
		Total	106	92.98%	8	7.02%	-	-	
	ELOW03	0-5	221	100.00%	-	-	-	-	226
		6-10	2	40.00%	3	60.00%	-	-	
		Total	223	98.67%	3	1.33%	-	-	
	ELOW04	0-5	134	100.00%	-	-	-	-	159
		11-15	-	-	2	100.00%	-	-	
		6-10	22	95.65%	1	4.35%	-	-	
		Total	156	98.11%	3	1.89%	-	-	
	ELOW05	0-5	396	100.00%	-	-	-	-	415
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	11	64.71%	6	35.29%	-	-	
		Total	407	98.07%	7	1.69%	1	0.24%	
	ELOW06	0-5	181	100.00%	-	-	-	-	187
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	186	99.47%	1	0.53%	-	-	
	ELOW07	0-5	99	100.00%	-	-	-	-	117
		11-15	-	-	1	100.00%	-	-	
		6-10	6	35.29%	11	64.71%	-	-	
		Total	105	89.74%	12	10.26%	-	-	
	ELOW08	0-5	6	100.00%	-	-	-	-	6
		Total	6	100.00%	-	-	-	-	
	MKDLC01	0-5	41	100.00%	-	-	-	-	70
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	8	57.14%	6	42.86%	-	-	
		Total	49	70.00%	18	25.71%	3	4.29%	
	Total		2,649	95.53%	112	4.04%	12	0.43%	2,773
Ed Smith Foods (EDSFW01)	EDSFW01	0-5	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Edwardsburg/Cardinal, Township Of (EDCWS01)	EDCWS01	0-5	10	100.00%	-	-	-	-	18
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	11	61.11%	7	38.89%	-	-	
	Total		11	61.11%	7	38.89%	-	-	18
Ehtel Networks Inc (ETNF01)	ETNF01	0-5	755	100.00%	-	-	-	-	917
		11-15	-	-	22	100.00%	-	-	
		6-10	139	99.29%	1	0.71%	-	-	
		Total	894	97.49%	23	2.51%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Ehtel Networks Inc (ETNF01)	ETNF02	0-5	31	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	44	100.00%	-	-	-	-	
	GBT01	0-5	78	100.00%	-	-	-	-	
		6-10	15	93.75%	1	6.25%	-	-	
		Total	93	98.94%	1	1.06%	-	-	
	SFNF01	0-5	20	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	
	Total		1,054	97.77%	24	2.23%	-	-	1,078
Elexicon Energy Formerly Veridian (ELX123)	ELX01	0-5	203	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	62	95.38%	3	4.62%	-	-	
		Total	265	96.01%	11	3.99%	-	-	
	ELX02	0-5	310	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	177	99.44%	1	0.56%	-	-	
		Total	487	99.19%	4	0.81%	-	-	
	ELX03	0-5	158	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	42	91.30%	4	8.70%	-	-	
		Total	200	97.09%	6	2.91%	-	-	
	ELX04	0-5	166	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	195	98.98%	2	1.02%	-	-	
	ELXGE01	0-5	100	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	36	100.00%	-	-	-	-	
		Total	136	94.44%	6	4.17%	2	1.39%	
	ELXGE02	0-5	66	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	77	96.25%	3	3.75%	-	-	
	ELXONE01	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	10	90.91%	1	9.09%	-	-	
		Total	62	95.38%	3	4.62%	-	-	
	ELXWHGE1	0-5	391	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	84	97.67%	2	2.33%	-	-	
		Total	475	98.96%	4	0.83%	1	0.21%	
	Total		1,897	97.83%	39	2.01%	3	0.15%	1,939
Elgin Area Primary Water Supply (EAPWSS01)	EAPWSS01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	62.50%	3	37.50%	-	-	
	Total		5	62.50%	3	37.50%	-	-	8

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Elgin, County Of (ELGNE01)	ELGNE01	0-5	6	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Elliot Lake, City Of (ELLK01)	ELLK01	0-5	37	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	38	92.68%	1	2.44%	2	4.88%	41
	Total		38	92.68%	1	2.44%	2	4.88%	41
Emerald Energy From Waste Inc (ALGQP01)	ALGQP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Emo, Township Of (EMOWS01)	EMOWS01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	15	65.22%	6	26.09%	2	8.70%	23
	Total		15	65.22%	6	26.09%	2	8.70%	23
Enbridge Distribution NEB Mains (ENNEB123)	ENNEBGN1	0-5	4	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	ENNEBGW1	0-5	27	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	35
	ENNEBOE1	0-5	7	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		50	100.00%	-	-	-	-	50
Enbridge Distribution Vital Mains (ENVM123)	ENVMGE01	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	36	100.00%	-	-	-	-	
		Total	72	94.74%	4	5.26%	-	-	76
	ENVMGN01	0-5	99	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	79	100.00%	-	-	-	-	
		Total	178	98.34%	3	1.66%	-	-	181
	ENVMGN02	0-5	51	100.00%	-	-	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	76	100.00%	-	-	-	-	76
	ENVMGW01	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	11	100.00%	-	-	
		6-10	64	92.75%	5	7.25%	-	-	
		Total	121	81.21%	28	18.79%	-	-	149
	ENVMGW02	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	ENVMHN01	0-5	17	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	ENVMOE01	0-5	53	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	89	100.00%	-	-	-	-	
		Total	142	87.12%	21	12.88%	-	-	163

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Enbridge Distribution Vital Mains (ENVM123)	ENVMTE01	0-5	56	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	87	100.00%	-	-	-	-	
		Total	143	90.51%	15	9.49%	-	-	
	ENVMTW1N	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	68	100.00%	-	-	-	-	
		Total	101	97.12%	3	2.88%	-	-	
	ENVMTW1S	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	76	98.70%	1	1.30%	-	-	
		Total	119	89.47%	14	10.53%	-	-	
	Total		983	91.78%	88	8.22%	-	-	1,071
Enbridge Gas (Legacy Union Gas) (UG1)	EN2HN01	0-5	3,753	100.00%	-	-	-	-	
		11-15	-	-	58	100.00%	-	-	
		16+	-	-	52	100.00%	-	-	
		6-10	1,714	98.39%	28	1.61%	-	-	
		Total	5,467	97.54%	138	2.46%	-	-	
	EN2OE01	0-5	1,356	100.00%	-	-	-	-	
		11-15	-	-	38	100.00%	-	-	
		16+	-	-	27	100.00%	-	-	
		6-10	535	95.71%	24	4.29%	-	-	
		Total	1,891	95.51%	89	4.49%	-	-	
	ENONE01	0-5	1,941	100.00%	-	-	-	-	
		11-15	-	-	117	100.00%	-	-	
		16+	-	-	29	100.00%	-	-	
		6-10	606	87.70%	85	12.30%	-	-	
		Total	2,547	91.68%	231	8.32%	-	-	
	ENONW01		-	-	-	-	1	100.00%	
		0-5	1,224	100.00%	-	-	-	-	
		11-15	-	-	94	100.00%	-	-	
		16+	-	-	26	100.00%	-	-	
		6-10	421	85.05%	74	14.95%	-	-	
		Total	1,645	89.40%	194	10.54%	1	0.05%	
	ENOS01	0-5	4,485	100.00%	-	-	-	-	
		11-15	-	-	133	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	1,713	96.89%	55	3.11%	-	-	
		Total	6,198	96.81%	204	3.19%	-	-	
	ENOW01	0-5	5,140	100.00%	-	-	-	-	
		11-15	-	-	75	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	1,556	96.95%	49	3.05%	-	-	
		Total	6,696	98.08%	131	1.92%	-	-	
	Total		24,444	96.12%	987	3.88%	1	-	25,432
Enbridge Gas Critical Lines (Legacy Union) (UG1CL)	ENCLBRA	0-5	32	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	43	97.73%	1	2.27%	-	-	
		Total	75	91.46%	7	8.54%	-	-	
	ENCLCHT	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	31	100.00%	-	-	-	-	
		Total	74	93.67%	5	6.33%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas Critical Lines (Legacy Union) (UG1CL)	ENCLEST	0-5	61	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	52	100.00%	-	-	-	-	
		Total	113	94.17%	7	5.83%	-	-	
	ENCLHAL	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	39	97.50%	1	2.50%	-	-	
		Total	78	96.30%	3	3.70%	-	-	
	ENCLHAM	0-5	79	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	75	98.68%	1	1.32%	-	-	
		Total	154	98.09%	3	1.91%	-	-	
	ENCLLDN	0-5	165	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	123	98.40%	2	1.60%	-	-	
		Total	288	97.63%	7	2.37%	-	-	
	ENCLNTH	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	22	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	42	85.71%	7	14.29%	-	-	
		Total	94	73.44%	34	26.56%	-	-	
	ENCLNW01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		6-10	19	90.48%	2	9.52%	-	-	
		Total	40	78.43%	11	21.57%	-	-	
	ENCLSAR	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	25	96.15%	1	3.85%	-	-	
		Total	72	97.30%	2	2.70%	-	-	
	ENCLWAT	0-5	252	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		6-10	116	99.15%	1	0.85%	-	-	
		Total	368	97.87%	8	2.13%	-	-	
	ENCLWIN	0-5	100	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	51	92.73%	4	7.27%	-	-	
		Total	151	92.07%	13	7.93%	-	-	
	Total		1,507	93.78%	100	6.22%	-	-	1,607
Enbridge Gas Distribution (ENB1)	ENGE01	0-5	2,870	100.00%	-	-	-	-	
		11-15	-	-	47	100.00%	-	-	
		16+	-	-	36	100.00%	-	-	
		6-10	901	97.09%	27	2.91%	-	-	
		Total	3,771	97.17%	110	2.83%	-	-	
	ENGN01	0-5	3,301	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	1,266	100.00%	-	-	-	-	
	ENGN02	0-5	2,185	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
	Total		4,567	99.67%	15	0.33%	-	-	4582

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas Distribution (ENB1)	ENGN02	6-10	559	98.94%	6	1.06%	-	-	
		Total	2,744	99.53%	13	0.47%	-	-	2757
	ENGTA01	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	20	95.24%	1	4.76%	-	-	
		Total	36	75.00%	12	25.00%	-	-	48
	ENGW01	0-5	2,359	100.00%	-	-	-	-	
		11-15	-	-	213	100.00%	-	-	
		16+	-	-	188	100.00%	-	-	
		6-10	1,165	91.44%	109	8.56%	-	-	
		Total	3,524	87.36%	510	12.64%	-	-	4034
	ENGW02	0-5	497	100.00%	-	-	-	-	
		11-15	-	-	64	100.00%	-	-	
		16+	-	-	49	100.00%	-	-	
		6-10	302	93.79%	20	6.21%	-	-	
		Total	799	85.73%	133	14.27%	-	-	932
	ENHN01	0-5	3,275	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	4	66.67%	2	33.33%	
		6-10	848	99.53%	4	0.47%	-	-	
		Total	4,123	99.66%	12	0.29%	2	0.05%	4137
	ENOE01	0-5	5,618	100.00%	-	-	-	-	
		11-15	-	-	260	100.00%	-	-	
		16+	-	-	72	96.00%	3	4.00%	
		6-10	3,069	93.65%	208	6.35%	-	-	
		Total	8,687	94.12%	540	5.85%	3	0.03%	9230
	ENTE01	0-5	2,046	100.00%	-	-	-	-	
		11-15	-	-	75	100.00%	-	-	
		16+	-	-	27	100.00%	-	-	
		6-10	1,356	98.05%	27	1.95%	-	-	
		Total	3,402	96.35%	129	3.65%	-	-	3531
	ENTW01N	0-5	1,013	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	740	99.60%	3	0.40%	-	-	
		Total	1,753	99.10%	15	0.85%	1	0.06%	1769
	ENTW01S	0-5	1,203	100.00%	-	-	-	-	
		11-15	-	-	61	100.00%	-	-	
		16+	-	-	55	100.00%	-	-	
		6-10	961	98.36%	16	1.64%	-	-	
		Total	2,164	94.25%	132	5.75%	-	-	2296
	Total		35,570	95.63%	1,621	4.36%	6	0.02%	37,197
Enbridge Gas Distribution (Gas Storage) (CO71)	CO71	0-5	59	100.00%	-	-	-	-	
		Total	59	100.00%	-	-	-	-	59
	Total		59	100.00%	-	-	-	-	59
Enbridge Gas Storage And Transmission (ENSTO)	EN20	0-5	46	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	48	100.00%	-	-	-	-	48
	EN21	0-5	104	100.00%	-	-	-	-	
		6-10	14	93.33%	1	6.67%	-	-	
		Total	118	99.16%	1	0.84%	-	-	119
	EN22	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Enbridge Gas Storage And Transmission (ENSTO)	EN22	6-10	3	60.00%	2	40.00%	-	-	
		Total	10	58.82%	7	41.18%	-	-	17
	Total		176	95.65%	8	4.35%	-	-	184
Enbridge Pipelines (EP123)	I001	0-5	18	100.00%	-	-	-	-	
		16+	-	-	11	100.00%	-	-	
		Total	18	62.07%	11	37.93%	-	-	29
	I010	0-5	344	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	42	85.71%	7	14.29%	-	-	
		Total	386	95.07%	20	4.93%	-	-	406
	I011	0-5	129	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	130	89.66%	15	10.34%	-	-	145
	I012	0-5	20	100.00%	-	-	-	-	
		16+	-	-	7	100.00%	-	-	
		Total	20	74.07%	7	25.93%	-	-	27
	Total		554	91.27%	53	8.73%	-	-	607
Enbridge Wind Power (ENWP01)	ENWP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Englehart, Town Of (EGHT01)	EGHT01	0-5	16	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	16	94.12%	1	5.88%	-	-	17
	Total		16	94.12%	1	5.88%	-	-	17
Enniskillen, Township Of (E002)	E002	0-5	167	100.00%	-	-	-	-	
		11-15	-	-	3	75.00%	1	25.00%	
		16+	-	-	4	33.33%	8	66.67%	
		6-10	14	93.33%	1	6.67%	-	-	
		Total	181	91.41%	8	4.04%	9	4.55%	198
	Total		181	91.41%	8	4.04%	9	4.55%	198
Enova Power (ENOVA123)	EPKW01	0-5	583	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	126	96.92%	4	3.08%	-	-	
		Total	709	98.20%	13	1.80%	-	-	722
	EPWAT01	0-5	374	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	86	96.63%	3	3.37%	-	-	
		Total	460	99.14%	4	0.86%	-	-	464
	EPWEL01	0-5	42	100.00%	-	-	-	-	
		6-10	26	96.30%	1	3.70%	-	-	
		Total	68	98.55%	1	1.45%	-	-	69
	EPWOL01	0-5	148	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	64	100.00%	-	-	-	-	
		Total	212	99.07%	1	0.47%	1	0.47%	214
	Total		1,449	98.64%	19	1.29%	1	0.07%	1,469
Entegrus (EPICK01)	CKSL01	0-5	82	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Entegrus (EPICK01)	CKSL01	16+	-	-	-	-	2	100.00%	
		6-10	36	100.00%	-	-	-	-	
		Total	118	95.93%	2	1.63%	3	2.44%	123
	EPICK01	0-5	213	100.00%	-	-	-	-	
		11-15	-	-	3	75.00%	1	25.00%	
		16+	-	-	-	-	2	100.00%	
		6-10	65	98.48%	1	1.52%	-	-	
		Total	278	97.54%	4	1.40%	3	1.05%	285
	EPIMP01	0-5	80	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	97	100.00%	-	-	-	-	97
	Total		493	97.62%	6	1.19%	6	1.19%	505
Entegrus Powerlines Inc. - St. Thomas (EPISTT01)	EPISTT01	0-5	127	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	148	99.33%	1	0.67%	-	-	149
	Total		148	99.33%	1	0.67%	-	-	149
Enwave Energy Corporation (ENWV01)	ENWV01	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		6-10	64	100.00%	-	-	-	-	
		Total	90	87.38%	13	12.62%	-	-	103
	Total		90	87.38%	13	12.62%	-	-	103
Enwin Utilities - Electrical (EWINE01)	EWINE01	0-5	160	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	61	85.92%	10	14.08%	-	-	
		Total	221	89.11%	26	10.48%	1	0.40%	248
	Total		221	89.11%	26	10.48%	1	0.40%	248
Enwin Utilities - Hydro (EWINE02)	EWINE02	0-5	114	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	115	100.00%	-	-	-	-	115
	Total		115	100.00%	-	-	-	-	115
Epcor Electricity Distribution Ontario Inc (COLLE01)	COLLE01	0-5	243	100.00%	-	-	-	-	
		Total	243	100.00%	-	-	-	-	243
	Total		243	100.00%	-	-	-	-	243
Epcor Natural Gas LP (EPNG123)	EPNG01	0-5	170	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	55	98.21%	1	1.79%	-	-	
		Total	225	97.83%	5	2.17%	-	-	230
	EPNG02	0-5	76	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	80	98.77%	1	1.23%	-	-	81
	EPNG03	0-5	77	100.00%	-	-	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	99	100.00%	-	-	-	-	99
	Total		404	98.54%	6	1.46%	-	-	410
Erie Shores Wind Farm (ESWF01)	ESWF01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Erieau Wind Farm (EWF01)	EWF01	0-5	11	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	Total		12	92.31%	1	7.69%	-	-	13

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Erin, Town Of (ERN01)	ERN01	0-5	20	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
	Total		20	100.00%	-	-	-	-	20
Erin, Town Of (ERNSL01)	ERNS01	16+	-	-	13	86.67%	2	13.33%	
		Total	-	-	13	86.67%	2	13.33%	15
	ERNSAN01	16+	-	-	8	61.54%	5	38.46%	
		Total	-	-	8	61.54%	5	38.46%	13
	ERNSL01	11-15	-	-	2	66.67%	1	33.33%	
		16+	-	-	21	75.00%	7	25.00%	
		Total	-	-	23	74.19%	8	25.81%	31
	Total		-	-	44	74.58%	15	25.42%	59
Erth Power Corporation (ETP01)	ETP01	0-5	318	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	75	98.68%	1	1.32%	-	-	
		Total	393	99.24%	2	0.51%	1	0.25%	396
	Total		393	99.24%	2	0.51%	1	0.25%	396
Espanola Hydro (ERH01)	ERH01	0-5	61	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	66	100.00%	-	-	-	-	66
	Total		66	100.00%	-	-	-	-	66
Espanola, Town Of (ESP01)	ESP01	0-5	38	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	8	80.00%	2	20.00%	-	-	
		Total	46	90.20%	5	9.80%	-	-	51
	Total		46	90.20%	5	9.80%	-	-	51
Essa, Township Of (ESA123)	ESASSL01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	62.50%	3	37.50%	-	-	
		Total	13	76.47%	4	23.53%	-	-	17
	ESAWS01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	62.50%	3	37.50%	-	-	
		Total	13	76.47%	4	23.53%	-	-	17
	Total		26	76.47%	8	23.53%	-	-	34
Essex County Highways (ESXTS01)	ESXTS01	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	20	90.91%	2	9.09%	-	-	22
	Total		20	90.91%	2	9.09%	-	-	22
Essex Powerlines Corp (A006)	A006	0-5	271	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	120	98.36%	2	1.64%	-	-	
		Total	391	95.13%	20	4.87%	-	-	411
	Total		391	95.13%	20	4.87%	-	-	411
Essex Powerlines Corp (A007)	A007	11-15	-	-	-	-	5	100.00%	
		16+	-	-	-	-	87	100.00%	
		Total	-	-	-	-	92	100.00%	92
	A008	11-15	-	-	-	-	32	100.00%	
		16+	-	-	-	-	185	100.00%	
		Total	-	-	-	-	217	100.00%	217
	Total		-	-	-	-	309	100.00%	309

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Essex, Town Of (CO01)	CO01	0-5	56	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	77	98.72%	1	1.28%	-	-	
	Total		77	98.72%	1	1.28%	-	-	78
Execulink Telecom (EXTEL123)	ASC2	0-5	204	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	53	100.00%	-	-	-	-	
		Total	257	99.61%	1	0.39%	-	-	
	EXEC01	0-5	418	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	140	98.59%	2	1.41%	-	-	
		Total	558	99.11%	5	0.89%	-	-	
	HT01	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	48	97.96%	1	2.04%	-	-	
	HTF1	0-5	15	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
	NE01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	
	NEK01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	
	Total		896	99.22%	7	0.78%	-	-	903
F & M Resources Ltd (FMRG01)	FMRG01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Faraday Resources Group Inc Formerly Taqa North Ltd (TAQA01)	TAQA01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	8	80.00%	1	10.00%	1	10.00%	
	Total		8	80.00%	1	10.00%	1	10.00%	10
Fauquier-Strickland, Township Of (FSWS01)	FSWS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	
	Total		1	50.00%	-	-	1	50.00%	2
Festival Hydro (FESTH01)	FESTH01	0-5	309	100.00%	-	-	-	-	
		6-10	94	100.00%	-	-	-	-	
		Total	403	100.00%	-	-	-	-	
	Total		403	100.00%	-	-	-	-	403
Fibrespeed Inc (FBSDI01)	FBSDI01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	7	100.00%	
	Total		-	-	-	-	7	100.00%	7
First Nations Cable (FNC01)	FNC01	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	11	52.38%	10	47.62%	-	-	
		Total	30	54.55%	13	23.64%	12	21.82%	
	Total		30	54.55%	13	23.64%	12	21.82%	55
Fisher Wavy Inc (FSWVY01)	FSWVY01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Forest Estates 394075 Ontario Ltd. (FREST01)	FREST01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Fort Erie, Town Of (FRTE01)	FRTE01	0-5	261	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	261	99.62%	1	0.38%	-	-	262
	Total		261	99.62%	1	0.38%	-	-	262
Fort Frances Power (FFP01)	FFP01	0-5	51	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	25.00%	3	75.00%	-	-	
		Total	52	92.86%	4	7.14%	-	-	56
	Total		52	92.86%	4	7.14%	-	-	56
Fort Frances, The Town Of (FFPW01)	FFPW01	0-5	58	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	60	100.00%	-	-	-	-	60
	Total		60	100.00%	-	-	-	-	60
French River, Municipality Of (FFR01)	FFR01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Fu Fiber Inc (FUF01)	FUF01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	6	66.67%	3	33.33%	-	-	
		Total	13	52.00%	6	24.00%	6	24.00%	25
	Total		13	52.00%	6	24.00%	6	24.00%	25
Gananoque, Town Of (GNQWST01)	GNQWST01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	39	100.00%	
		Total	-	-	-	-	40	100.00%	40
	Total		-	-	-	-	40	100.00%	40
Georgian Bay, Township Of (GBWS01)	GBWS01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Georgian Bluffs, Township Of (GB01)	GB01	0-5	10	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	GBSL01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		20	100.00%	-	-	-	-	20
Georgina, Town Of (GGN123)	GGN01	0-5	196	100.00%	-	-	-	-	
		6-10	50	100.00%	-	-	-	-	
		Total	246	100.00%	-	-	-	-	246
	Total		246	100.00%	-	-	-	-	246
Glenfred Gas Wells (GFGW01)	GFGW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Goderich, Town Of (GDR123)	GDRHS01	0-5	65	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	65	98.48%	-	-	1	1.52%	66
	GDRHW01	0-5	62	100.00%	-	-	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	66	98.51%	1	1.49%	-	-	67
	Total		131	98.50%	1	0.75%	1	0.75%	133

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Golden Rural High Speed (GLDNRL01)	GLDNRL01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Gore Bay, Town Of (GBY01)	GBY01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Gosfield North Communications (G001)	G001	0-5	65	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	58	100.00%	-	-	-	-	
		Total	123	97.62%	2	1.59%	1	0.79%	126
	MSCQUAD2	0-5	118	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	20	83.33%	4	16.67%	-	-	
		Total	138	95.83%	6	4.17%	-	-	144
	QUAD1	0-5	289	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	89	98.89%	1	1.11%	-	-	
		Total	378	99.21%	3	0.79%	-	-	381
	Total		639	98.16%	11	1.69%	1	0.15%	651
Gosfield Wind Limited Partnership (BFP01)	BFP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Government Of Canada (GOC01)	GOC01	0-5	8	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	10	90.91%	1	9.09%	-	-	11
	Total		10	90.91%	1	9.09%	-	-	11
Grafton Water, Town Of (GRFTNW01)	GRFTNW01	0-5	11	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		12	100.00%	-	-	-	-	12
Grand Bend Wind Lp (GBWF01)	GBWF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Grand Renewable Wind Farm (PEGRWF01)	PEGRWF01	0-5	6	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	Total		8	88.89%	1	11.11%	-	-	9
Grand River Hospital Corp. - KW Campus And Freeport Campus (FPGRH01)	FPGRH01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
Grand Valley Wind Farm (GVWF01)	GVWF01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Grandbridge Energy (GBH01)	GBH01	0-5	1,006	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	575	99.65%	2	0.35%	-	-	
		Total	1,581	99.81%	3	0.19%	-	-	1584
	Total		1,581	99.81%	3	0.19%	-	-	1,584
Gravenhurst, Town Of (GRVSL01)	GRVSL01	0-5	45	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	45	97.83%	1	2.17%	-	-	46
	Total		45	97.83%	1	2.17%	-	-	46

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Gravenhurst, Town Of (GRVSS01)	GRVSS01	0-5	43	100.00%	-	-	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	44	95.65%	2	4.35%	-	-	46
	Total		44	95.65%	2	4.35%	-	-	46
Greater Essex County District School Board (GEDSB01)	GEDSB01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Greater Napanee, Town Of (GNAPWS01)	GNAPWS01	0-5	39	100.00%	-	-	-	-	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	50	98.04%	1	1.96%	-	-	51
	Total		50	98.04%	1	1.96%	-	-	51
Greater Sudbury Hydro (SH01)	SH01	0-5	656	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	661	99.70%	2	0.30%	-	-	663
	Total		661	99.70%	2	0.30%	-	-	663
Greater Sudbury Hydro Inc. - Sturgeon Falls Cache Bay (SH03)	SH03	0-5	45	100.00%	-	-	-	-	
		Total	45	100.00%	-	-	-	-	45
	Total		45	100.00%	-	-	-	-	45
Greater Sudbury Hydro Plus Inc. - Street Lights - Sudbury (SH04)	SH04	0-5	543	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	544	99.82%	1	0.18%	-	-	545
	Total		544	99.82%	1	0.18%	-	-	545
Greater Sudbury Hydro Plus Inc. - Street Lights West Nipissing (SH02)	SH02	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Greater Sudbury, City Of (GSBY123)	GSBY03	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	11	100.00%	
		6-10	-	-	3	100.00%	-	-	
		Total	2	10.53%	6	31.58%	11	57.89%	19
	GSBYCM01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
	GSBYS01	0-5	392	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	5	50.00%	5	50.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	392	96.31%	10	2.46%	5	1.23%	407
	GSBYSS01	0-5	238	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	37.50%	5	62.50%	
		6-10	-	-	1	100.00%	-	-	
		Total	238	95.97%	5	2.02%	5	2.02%	248
	GSBYW01	0-5	417	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	6	37.50%	10	62.50%	
		6-10	-	-	1	100.00%	-	-	
		Total	417	95.21%	11	2.51%	10	2.28%	438
	Total		1,049	93.83%	32	2.86%	37	3.31%	1,118
Greater Toronto Airports Authority (GTAA01)	GTAA01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	17	80.95%	4	19.05%	-	-	21
	Total		17	80.95%	4	19.05%	-	-	21

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Greenfield South Power Corporation (EP02)	EP02	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		Total	1	25.00%	1	25.00%	2	50.00%	
	Total		1	25.00%	1	25.00%	2	50.00%	4
Greenstone, Municipality Of (GSTN01)	GSTN01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	15	75.00%	5	25.00%	-	-	
	Total		15	75.00%	5	25.00%	-	-	20
Grey Highlands Clean Wind Farm (GHCWF01)	GHCWF01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	
	Total		-	-	1	100.00%	-	-	1
Grey Highlands, Municipality Of (GRH01)	GRH01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	33.33%	4	66.67%	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	18	62.07%	7	24.14%	4	13.79%	
	Total		18	62.07%	7	24.14%	4	13.79%	29
Grey, County Of (GREY01)	GREY01	0-5	23	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	
	Total		23	100.00%	-	-	-	-	23
Grimsby Power (GRIMSP01)	GRIMSP01	0-5	128	100.00%	-	-	-	-	
		6-10	32	100.00%	-	-	-	-	
		Total	160	100.00%	-	-	-	-	
	Total		160	100.00%	-	-	-	-	160
Grimsby, Town Of (GRMBY01)	GRMBY01	0-5	134	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	150	100.00%	-	-	-	-	
	Total		150	100.00%	-	-	-	-	150
Guelph Eramosa, Township Of (GUEERA01)	GUEERA01	0-5	45	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	45	97.83%	1	2.17%	-	-	
	Total		45	97.83%	1	2.17%	-	-	46
Guelph, City Of (GLPH123)	GLPH01	0-5	492	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	212	100.00%	-	-	-	-	
		Total	704	99.86%	1	0.14%	-	-	
	GLPH02	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	GLPH03	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	GLPH04	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	50	100.00%	-	-	-	-	
		Total	78	98.73%	1	1.27%	-	-	
	GLPH05	0-5	37	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	47	100.00%	-	-	-	-	
		Total	84	98.82%	-	-	1	1.18%	
	Total		871	99.66%	2	0.23%	1	0.11%	874
Guelph, University Of (UGPH01)	UGPH01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Guelph, University Of (UGPH01)	UGPH01	16+	-	-	12	100.00%	-	-	
		Total	7	33.33%	14	66.67%	-	-	21
	Total		7	33.33%	14	66.67%	-	-	21
Gunns Hill Lp (GHWF01)	GHWF01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Haldimand County (HLDM123)	HLDMD01	0-5	199	100.00%	-	-	-	-	
		16+	-	-	8	29.63%	19	70.37%	
		6-10	1	100.00%	-	-	-	-	
		Total	200	88.11%	8	3.52%	19	8.37%	227
	HLDME01	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	13	25.49%	38	74.51%	-	-	
		Total	80	61.07%	43	32.82%	8	6.11%	131
	HLDMS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	5	71.43%	2	28.57%	
		Total	2	22.22%	5	55.56%	2	22.22%	9
	HLDMW01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	4	66.67%	-	-	2	33.33%	6
	Total		286	76.68%	56	15.01%	31	8.31%	373
Haliburton, County Of (HLB01)	HLB01	16+	-	-	-	-	10	100.00%	
		Total	-	-	-	-	10	100.00%	10
	Total		-	-	-	-	10	100.00%	10
Hallebourg Lsb (HLEBRG01)	HLEBRG01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Halton Hills Hydro (HHH01)	HHH01	0-5	190	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	257	99.61%	1	0.39%	-	-	
		Total	447	99.55%	2	0.45%	-	-	449
	Total		447	99.55%	2	0.45%	-	-	449
Halton Hills, Town Of (HAH01)	HAH01	0-5	119	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		6-10	33	97.06%	1	2.94%	-	-	
		Total	152	95.00%	8	5.00%	-	-	160
	Total		152	95.00%	8	5.00%	-	-	160
Halton Hills, Town Of (HAH02)	HAH02	0-5	5	100.00%	-	-	-	-	
		6-10	35	100.00%	-	-	-	-	
		Total	40	100.00%	-	-	-	-	40
	Total		40	100.00%	-	-	-	-	40
Halton, Region Of (HLTNB123)	HLTNB01	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	2	50.00%	2	50.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	24	82.76%	2	6.90%	3	10.34%	29
	HLTNBSL01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	2	50.00%	2	50.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	22	81.48%	2	7.41%	3	11.11%	27

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Halton, Region Of (HLTNB123)	HLTNBTC01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	3	60.00%	2	40.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	10	62.50%	3	18.75%	3	18.75%	
	HLTNBTS01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	33.33%	2	66.67%	
		6-10	5	100.00%	-	-	-	-	
		Total	12	80.00%	1	6.67%	2	13.33%	
	Total		68	78.16%	8	9.20%	11	12.64%	87
Halton, Region Of (HLTNH123)	HLTNHTS01	11-15	-	-	2	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	6	75.00%	2	25.00%	-	-	
	Total		6	75.00%	2	25.00%	-	-	8
Halton, Region Of (HLTNM123)	HLTNM01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	17	89.47%	2	10.53%	-	-	
		Total	25	71.43%	9	25.71%	1	2.86%	
	HLTNMTC01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	12	85.71%	2	14.29%	-	-	
		Total	24	77.42%	7	22.58%	-	-	
	HLTNMTS01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	8	80.00%	2	20.00%	-	-	
		Total	9	64.29%	4	28.57%	1	7.14%	
	Total		58	72.50%	20	25.00%	2	2.50%	80
Halton, Region Of (HLTNO123)	HLTNOK01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	4	80.00%	1	20.00%	
		6-10	21	100.00%	-	-	-	-	
		Total	34	87.18%	4	10.26%	1	2.56%	
	HLTNOSL01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	5	83.33%	1	16.67%	
		6-10	16	100.00%	-	-	-	-	
		Total	26	81.25%	5	15.63%	1	3.13%	
	HLTNOTC01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	23	85.19%	4	14.81%	-	-	
	HLTNOTS01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	17	85.00%	3	15.00%	-	-	
	Total		100	84.75%	16	13.56%	2	1.69%	118
Halton, Region Of (HLTNSS04)	HLTNSS04	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	14	82.35%	3	17.65%	-	-	
	Total		14	82.35%	3	17.65%	-	-	17
Halton, Region Of (HLTNT01)	HLTNT01	0-5	9	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	
	Total		11	100.00%	-	-	-	-	11

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Halton, Region Of (HMTOBM)	HMTBSL01	0-5	1	100.00%	-	-	-	-	3
		11-15	-	-	1	50.00%	1	50.00%	
		Total	1	33.33%	1	33.33%	1	33.33%	
	HMTBTS01	11-15	-	-	1	100.00%	-	-	1
		Total	-	-	1	100.00%	-	-	
	HMTMSL01	0-5	1	100.00%	-	-	-	-	2
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	HMTMTS01	0-5	5	100.00%	-	-	-	-	7
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	85.71%	1	14.29%	-	-	
	Total		9	69.23%	3	23.08%	1	7.69%	13
Hamilton Community Energy (HCE1)	HCE1	0-5	6	100.00%	-	-	-	-	7
		16+	-	-	1	100.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	
	Total		6	85.71%	1	14.29%	-	-	7
Hamilton Health Sciences (HHSCH01)	HHSCH01	11-15	-	-	3	100.00%	-	-	18
		16+	-	-	15	100.00%	-	-	
		Total	-	-	18	100.00%	-	-	
	Total		-	-	18	100.00%	-	-	18
Hamilton, City Of (CH01)	CH01	0-5	101	100.00%	-	-	-	-	211
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	105	100.00%	-	-	-	-	
		Total	206	97.63%	5	2.37%	-	-	
	Total		206	97.63%	5	2.37%	-	-	211
Hamilton, City Of (CHPT01)	CHPT01	0-5	100	100.00%	-	-	-	-	136
		16+	-	-	1	100.00%	-	-	
		6-10	35	100.00%	-	-	-	-	
		Total	135	99.26%	1	0.74%	-	-	
	Total		135	99.26%	1	0.74%	-	-	136
Hamilton, City Of (HHP3)	HHP3	0-5	931	100.00%	-	-	-	-	1186
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	246	99.60%	1	0.40%	-	-	
		Total	1,177	99.24%	9	0.76%	-	-	
	Total		1,177	99.24%	9	0.76%	-	-	1,186
Hamilton, City Of (HW01)	HW01	0-5	1,111	100.00%	-	-	-	-	1487
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	364	98.91%	4	1.09%	-	-	
		Total	1,475	99.19%	12	0.81%	-	-	
	HW02	0-5	12	100.00%	-	-	-	-	13
		6-10	1	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	
	Total		1,488	99.20%	12	0.80%	-	-	1,500
Hamilton, Township Of (HML01)	HML01	0-5	99	100.00%	-	-	-	-	102
		16+	-	-	1	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	100	98.04%	2	1.96%	-	-	
	Total		100	98.04%	2	1.96%	-	-	102
Hanover, Town Of (HNVR01)	HNVR01	0-5	46	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Hanover, Town Of (HNVR01)	HNVR01	6-10	5	100.00%	-	-	-	-	
		Total	51	96.23%	-	-	2	3.77%	53
		Total	51	96.23%	-	-	2	3.77%	53
Havelock-Belmont-Methuen, Township Of (HVBLME01)	HVBLME01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	9	81.82%	1	9.09%	1	9.09%	11
		Total	9	81.82%	1	9.09%	1	9.09%	11
Hawkesbury, Town Of (HWKB01)	HWKB01	0-5	45	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	48	94.12%	2	3.92%	1	1.96%	51
	HWKBSL01	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	3	100.00%	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	44	86.27%	2	3.92%	5	9.80%	51
		Total	92	90.20%	4	3.92%	6	5.88%	102
Hay Communications (H123)	H003	0-5	180	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	80	100.00%	-	-	-	-	
		Total	260	99.24%	2	0.76%	-	-	262
		Total	260	99.24%	2	0.76%	-	-	262
Hce Telecom (HCEHN01)	HCEHN01	0-5	13	100.00%	-	-	-	-	
		6-10	33	100.00%	-	-	-	-	
		Total	46	100.00%	-	-	-	-	46
		Total	46	100.00%	-	-	-	-	46
Hearst Connect Corporation (HWFF01)	HWFF01	0-5	10	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	10	83.33%	-	-	2	16.67%	12
		Total	10	83.33%	-	-	2	16.67%	12
Hearst Power (HRSTP01)	HRSTP01	0-5	41	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	42	93.33%	2	4.44%	1	2.22%	45
		Total	42	93.33%	2	4.44%	1	2.22%	45
Hearst, Town Of (HRSTWS01)	HRSTWS01	0-5	34	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	34
		Total	34	100.00%	-	-	-	-	34
Hiboo Networks (HIBOO01)	HIBOO01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	22	95.65%	1	4.35%	-	-	
		Total	34	89.47%	3	7.89%	1	2.63%	38
		Total	34	89.47%	3	7.89%	1	2.63%	38
Highbury Canco Corp (HGHBRY01)	HGHBRY01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
		Total	-	-	-	-	5	100.00%	5
Highlands East, Municipality Of (HLNDE01)	HLNDE01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	2	100.00%	2
		Total	-	-	-	-	2	100.00%	2

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Hilton Beach, Village Of (HIBE01)	HIBE01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Hiram Walker & Sons (HIRWAL01)	HIRWAL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Home Hardware Stores Ltd (HHSF01)	HHSF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Hornepayne, Township Of (HRP01)	HRP01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	25.00%	3	75.00%	-	-	
		Total	4	44.44%	3	33.33%	2	22.22%	9
	Total		4	44.44%	3	33.33%	2	22.22%	9
Howick, Township Of (HOWKSS01)	HOWKSS01	0-5	138	100.00%	-	-	-	-	
		6-10	83	66.94%	41	33.06%	-	-	
		Total	221	84.35%	41	15.65%	-	-	262
	Total		221	84.35%	41	15.65%	-	-	262
Huntsville, Town Of (HTVSS01)	HTVSS01	0-5	28	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	Total		29	100.00%	-	-	-	-	29
Huron East, Municipality Of (HURNE01)	HURNE01	0-5	32	100.00%	-	-	-	-	
		16+	-	-	-	-	52	100.00%	
		6-10	12	80.00%	3	20.00%	-	-	
		Total	44	44.44%	3	3.03%	52	52.53%	99
	Total		44	44.44%	3	3.03%	52	52.53%	99
Huron, County Of (HRN123)	HRN01	16+	-	-	6	100.00%	-	-	
		Total	-	-	6	100.00%	-	-	6
	HRN02	0-5	27	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	27	87.10%	-	-	4	12.90%	31
	HRN03	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	1	20.00%	4	80.00%	
		Total	11	64.71%	1	5.88%	5	29.41%	17
	HRN04	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		38	66.67%	7	12.28%	12	21.05%	57
Huron-Kinlos, Township Of (HURKIN01)	HURKIN01	0-5	62	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	64	100.00%	-	-	-	-	64
	Total		64	100.00%	-	-	-	-	64
Hurontel (HTEL01)	HTEL01	0-5	98	100.00%	-	-	-	-	
		11-15	-	-	48	90.57%	5	9.43%	
		16+	-	-	8	7.27%	102	92.73%	
		6-10	30	32.26%	63	67.74%	-	-	
		Total	128	36.16%	119	33.62%	107	30.23%	354
	Total		128	36.16%	119	33.62%	107	30.23%	354
Hydro 2000 (H200001)	H200001	0-5	8	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	8	80.00%	2	20.00%	-	-	10
	Total		8	80.00%	2	20.00%	-	-	10

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Hydro Embrun (EMBRH01)	EMBRH01	0-5	34	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	34	91.89%	1	2.70%	2	5.41%	
	Total		34	91.89%	1	2.70%	2	5.41%	37
Hydro Hawkesbury (HHI01)	HHI01	0-5	40	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	51	100.00%	-	-	-	-	
	Total		51	100.00%	-	-	-	-	51
Hydro One Networks Inc (HH123)	HOBRA01	0-5	15	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		Total	15	71.43%	-	-	6	28.57%	
	HOF501	0-5	83	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	27	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	88	73.95%	4	3.36%	27	22.69%	
	HOHAM01	0-5	30	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	32	94.12%	-	-	2	5.88%	
	HOMAR01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	HOMIS01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	9	81.82%	1	9.09%	1	9.09%	
	HOOAK01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	HOPIC01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	HOTOR01	0-5	175	100.00%	-	-	-	-	
		11-15	-	-	6	66.67%	3	33.33%	
		16+	-	-	-	-	71	100.00%	
		6-10	12	92.31%	1	7.69%	-	-	
		Total	187	69.78%	7	2.61%	74	27.61%	
	HOVAU01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	
	HOWHI01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	O0052	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	40	93.02%	2	4.65%	1	2.33%	
	OH20	0-5	68	100.00%	-	-	-	-	
		11-15	-	-	1	16.67%	5	83.33%	
		16+	-	-	-	-	21	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	68	70.83%	2	2.08%	26	27.08%	
	OH30	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	
	OH40	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		454	73.94%	16	2.61%	144	23.45%	614

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Hydro One Networks Inc - Fibre (HYTHON01)	HYTHON01	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	15	93.75%	1	6.25%	-	-	
		Total	42	87.50%	6	12.50%	-	-	
	Total		42	87.50%	6	12.50%	-	-	48
Hydro One Networks Inc (H1DX)	H1DGE01	0-5	1,511	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	21	100.00%	-	-	
		6-10	340	96.32%	13	3.68%	-	-	
		Total	1,851	97.22%	53	2.78%	-	-	
	H1DGN01	0-5	1,058	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	210	100.00%	-	-	-	-	
		Total	1,268	99.76%	3	0.24%	-	-	
	H1DGN02	0-5	965	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	103	99.04%	1	0.96%	-	-	
		Total	1,068	99.81%	2	0.19%	-	-	
	H1DGW02	0-5	628	100.00%	-	-	-	-	
		11-15	-	-	61	100.00%	-	-	
		16+	-	-	35	100.00%	-	-	
		6-10	269	95.39%	13	4.61%	-	-	
		Total	897	89.17%	109	10.83%	-	-	
	H1DHN01	0-5	1,334	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	353	97.78%	8	2.22%	-	-	
		Total	1,687	98.42%	27	1.58%	-	-	
	H1DMOO01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	3	60.00%	1	20.00%	1	20.00%	
	H1DOE01	0-5	4,942	100.00%	-	-	-	-	
		11-15	-	-	150	100.00%	-	-	
		16+	-	-	62	100.00%	-	-	
		6-10	1,421	90.11%	156	9.89%	-	-	
		Total	6,363	94.53%	368	5.47%	-	-	
	H1DONE01	0-5	2,928	100.00%	-	-	-	-	
		11-15	-	-	110	100.00%	-	-	
		16+	-	-	37	100.00%	-	-	
		6-10	866	89.46%	102	10.54%	-	-	
		Total	3,794	93.84%	249	6.16%	-	-	
	H1DONW02	0-5	194	100.00%	-	-	-	-	
		6-10	34	94.44%	2	5.56%	-	-	
		Total	228	99.13%	2	0.87%	-	-	
	H1DOS01	0-5	2,364	100.00%	-	-	-	-	
		11-15	-	-	61	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	725	96.15%	29	3.85%	-	-	
		Total	3,089	96.99%	96	3.01%	-	-	
	H1DOW01	0-5	3,830	100.00%	-	-	-	-	
		11-15	-	-	39	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Hydro One Networks Inc (H1DX)	H1DOW01	6-10	840	96.77%	28	3.23%	-	-	
		Total	4,670	98.46%	73	1.54%	-	-	4743
	H1DTBY01	0-5	93	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	66.67%	3	33.33%	-	-	
		Total	99	96.12%	3	2.91%	1	0.97%	103
	H1DX07	0-5	545	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	-	-	21	100.00%	
		6-10	52	62.65%	31	37.35%	-	-	
		Total	597	90.73%	40	6.08%	21	3.19%	658
	Total		25,614	96.07%	1,026	3.85%	23	0.09%	26,663
Hydro One Networks Inc (Orillia) (OPC01)	OPC01	0-5	149	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	34	97.14%	1	2.86%	-	-	
		Total	183	93.85%	12	6.15%	-	-	195
	Total		183	93.85%	12	6.15%	-	-	195
Hydro One Networks Inc (Peterborough) (PTBH01)	PTBH01	0-5	438	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	76	97.44%	2	2.56%	-	-	
		Total	514	99.23%	4	0.77%	-	-	518
	Total		514	99.23%	4	0.77%	-	-	518
Hydro One Remote Communities Inc (HYR01)	HYR01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Hydro Ottawa (HOT1)	HOT1	0-5	3,624	100.00%	-	-	-	-	
		11-15	-	-	112	100.00%	-	-	
		16+	-	-	22	100.00%	-	-	
		6-10	1,878	96.80%	62	3.20%	-	-	
		Total	5,502	96.56%	196	3.44%	-	-	5698
	HOT2	0-5	242	100.00%	-	-	-	-	
		6-10	49	100.00%	-	-	-	-	
		Total	291	100.00%	-	-	-	-	291
	Total		5,793	96.73%	196	3.27%	-	-	5,989
Ignace, Township Of (IGN01)	IGN01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	7	43.75%	1	6.25%	8	50.00%	16
	Total		7	43.75%	1	6.25%	8	50.00%	16
Imperial Oil Pipelines (I002)	I002	0-5	120	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	49	100.00%	-	-	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	131	69.68%	57	30.32%	-	-	188
	Total		131	69.68%	57	30.32%	-	-	188
Imperial Oil Pipelines (I003)	I003	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Imperial Oil Pipelines (I004)	I004	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Imperial Oil Refinery And Chemicals (Im01) (IM01)	IM01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Imperial Oil Refinery And Chemicals (IM02)	IM02	0-5	3	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4
Index Energy Ajax Corporation (IDXEPL01)	IDXEPL01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Ingersoll, Town Of (INGERS01)	INGERS01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	20	100.00%	-	-	
		6-10	6	31.58%	13	68.42%	-	-	
		Total	20	36.36%	35	63.64%	-	-	55
	Total		20	36.36%	35	63.64%	-	-	55
Innisfil, Town Of (INFL01)	INFL01	0-5	196	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	225	99.56%	1	0.44%	-	-	226
	Total		225	99.56%	1	0.44%	-	-	226
Innpower (INSFH01)	INSFH01	0-5	392	100.00%	-	-	-	-	
		6-10	36	100.00%	-	-	-	-	
		Total	428	100.00%	-	-	-	-	428
	Total		428	100.00%	-	-	-	-	428
Integrated Gas Recovery Services (IGRSPL01)	IGRSPL01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	1	33.33%	1	33.33%	1	33.33%	3
	Total		1	33.33%	1	33.33%	1	33.33%	3
Internet Access Solutions Ltd (IASF01)	IASF01	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	73	98.65%	1	1.35%	-	-	74
	Total		73	98.65%	1	1.35%	-	-	74
Iroquois Falls, Town Of (IRQF01)	IRQF01	0-5	39	100.00%	-	-	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	41	95.35%	2	4.65%	-	-	43
	IRQFSL01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	6	33.33%	12	66.67%	-	-	
		Total	19	43.18%	23	52.27%	2	4.55%	44
	Total		60	68.97%	25	28.74%	2	2.30%	87
James, Township Of (JAMES01)	JAMES01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Jogues Local Service Board (JSBS01)	JSBS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Johnson, Township Of (JHSNW01)	JHSNW01	11-15	-	-	-	-	1	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Johnson, Township Of (JHSNW01)	JHSNW01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
K2 Wind Farm Ontario (K2WF01)	K2WF01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Kapuskasing, Town Of (KAP01)	KAP01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	-	-	6	100.00%	
		16+	-	-	-	-	44	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	12	19.05%	1	1.59%	50	79.37%	63
	Total		12	19.05%	1	1.59%	50	79.37%	63
Kawartha Lakes, City Of (KWLK01)	KWLKPF01	0-5	62	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	62	98.41%	1	1.59%	-	-	
		Total	124	98.41%	2	1.59%	-	-	126
	KWLKWS01	0-5	147	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	109	97.32%	3	2.68%	-	-	
		Total	256	98.08%	4	1.53%	1	0.38%	261
	Total		380	98.19%	6	1.55%	1	0.26%	387
Kawartha Pine Ridge District Schoolboard (KPR01)	KPR01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	-	-	7	100.00%	
		16+	-	-	-	-	14	100.00%	
		Total	3	12.50%	-	-	21	87.50%	24
	Total		3	12.50%	-	-	21	87.50%	24
Kearney, Town Of (KRNY01)	KRNY01	11-15	-	-	-	-	6	100.00%	
		16+	-	-	-	-	18	100.00%	
		Total	-	-	-	-	24	100.00%	24
	Total		-	-	-	-	24	100.00%	24
Kenora, City Of (KNRA123)	KNRA01	0-5	59	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	5	50.00%	5	50.00%	-	-	
		Total	64	87.67%	5	6.85%	4	5.48%	73
	KNRASL01	0-5	10	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	18	85.71%	1	4.76%	2	9.52%	21
	KNRAST01	0-5	52	100.00%	-	-	-	-	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	58	98.31%	1	1.69%	-	-	59
	Total		140	91.50%	7	4.58%	6	3.92%	153
Keyera Pipeline (KEYPL01)	KEYPL01	0-5	70	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	70	98.59%	1	1.41%	-	-	71
	Total		70	98.59%	1	1.41%	-	-	71
Killaloe, Hagarty And Richards, Township Of (KHRWS01)	KHRWS01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	13	92.86%	-	-	1	7.14%	14
	Total		13	92.86%	-	-	1	7.14%	14

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Killarney, Municipality Of (KLNWS01)	KLNWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kincardine, Municipality Of (KINC123)	KINCAR01	0-5	69	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	74	100.00%	-	-	-	-	74
	Total		74	100.00%	-	-	-	-	74
Kinder Morgan Pipeline (KMP01)	KMP01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
King, Township Of (KNGWS01)	KNGSL01	0-5	136	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	14	93.33%	1	6.67%	-	-	
		Total	150	98.68%	2	1.32%	-	-	152
	KNGWS01	0-5	92	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	98	100.00%	-	-	-	-	98
	Total		248	99.20%	2	0.80%	-	-	250
Kings University College (KUC01)	KUC01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Kingsbridge Wind Farm (K1WF01)	K1WF01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Kingston General Hospital (KGH01)	KGH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kingsville, Town Of (TK01)	TK01	0-5	77	100.00%	-	-	-	-	
		6-10	31	100.00%	-	-	-	-	
		Total	108	100.00%	-	-	-	-	108
	TKF01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		111	100.00%	-	-	-	-	111
Kirkland Lake, Town Of (KKL01)	KKL01	0-5	97	100.00%	-	-	-	-	
		11-15	-	-	10	90.91%	1	9.09%	
		6-10	13	92.86%	1	7.14%	-	-	
		Total	110	90.16%	11	9.02%	1	0.82%	122
	Total		110	90.16%	11	9.02%	1	0.82%	122
Kitchener Utilities - Gas And Water (KU01)	KU01	0-5	167	100.00%	-	-	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	31	100.00%	-	-	-	-	
		Total	198	96.12%	-	-	8	3.88%	206
	Total		198	96.12%	-	-	8	3.88%	206
Kitchener Utilities (KU02)	KU02	0-5	968	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	162	99.39%	1	0.61%	-	-	
		Total	1,130	99.04%	11	0.96%	-	-	1141
	Total		1,130	99.04%	11	0.96%	-	-	1,141
Kitchener, City Of - Electric (KITE01)	KITE01	0-5	4	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Kitchener, City Of - Electric (KITE01)	KITE01	6-10	4	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Kitchener, City Of (KITS01)	KITS01	0-5	417	100.00%	-	-	-	-	
		6-10	123	99.19%	1	0.81%	-	-	
		Total	540	99.82%	1	0.18%	-	-	541
	Total		540	99.82%	1	0.18%	-	-	541
Kruger Energy Chatham LP (KEC01)	KEC01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Kwic Internet (KWIC01)	KWIC01	0-5	11	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16
Lagasco Inc (TP01)	TP01	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	34	91.89%	2	5.41%	1	2.70%	37
	Total		34	91.89%	2	5.41%	1	2.70%	37
Lagasco Limited (L002)	L002	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	3	27.27%	6	54.55%	2	18.18%	11
	Total		3	27.27%	6	54.55%	2	18.18%	11
Lake Huron Primary Water Supply System (LHPWSS01)	LHPWSS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	20	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	22.22%	21	77.78%	-	-	27
	Total		6	22.22%	21	77.78%	-	-	27
Lake Of Bays, Township Of (LOB01)	LOB01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Lake Of The Woods Hospital (LWDH01)	LWDH01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Lakefront Utilities - Town Of Cobourg Water (CBRGW01)	CBRGW01	0-5	122	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	38	95.00%	2	5.00%	-	-	
		Total	160	97.56%	4	2.44%	-	-	164
	Total		160	97.56%	4	2.44%	-	-	164
Lakefront Utilities (LUSI123)	COLBH01	0-5	6	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	LUSIH01	0-5	127	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	36	100.00%	-	-	-	-	
		Total	163	99.39%	1	0.61%	-	-	164
	Total		173	99.43%	1	0.57%	-	-	174
Lakeland Networks (LKLNN01)	LKLNN01	0-5	225	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Lakeland Networks (LKLNN01)	LKLNN01	16+	-	-	-	-	1	100.00%	
		6-10	27	81.82%	6	18.18%	-	-	
		Total	252	95.09%	12	4.53%	1	0.38%	265
	Total		252	95.09%	12	4.53%	1	0.38%	265
Lakeland Power (LKLNP123)	LKLNP01	0-5	157	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	51	85.00%	9	15.00%	-	-	
		Total	208	93.69%	12	5.41%	2	0.90%	222
	Total		208	93.69%	12	5.41%	2	0.90%	222
Lakeshore, Municipality Of (TOL123)	B002	0-5	230	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	14	93.33%	1	6.67%	-	-	
		Total	244	99.19%	2	0.81%	-	-	246
	Total		244	99.19%	2	0.81%	-	-	246
Lakeview Water System (LKVWW01)	LKVWW01	0-5	15	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	15	78.95%	-	-	4	21.05%	19
	Total		15	78.95%	-	-	4	21.05%	19
Lambton Area Water Supply System (LAWSS01)	LAWSS01	0-5	94	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	95	95.96%	1	1.01%	3	3.03%	99
	Total		95	95.96%	1	1.01%	3	3.03%	99
Lambton County (LMBTN01)	LMBTN01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	9	81.82%	2	18.18%	-	-	11
	Total		9	81.82%	2	18.18%	-	-	11
Lambton Shores, Municipality Of (F001)	F001	0-5	150	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		6-10	16	84.21%	3	15.79%	-	-	
		Total	166	94.86%	7	4.00%	2	1.14%	175
	Total		166	94.86%	7	4.00%	2	1.14%	175
Lamsar For Sxl (Sunoco Logistics) (LUSPL01)	LUSPL01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Lanark Highlands, Township Of (LNKH01)	LNKH01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	2	25.00%	5	62.50%	1	12.50%	8
	Total		2	25.00%	5	62.50%	1	12.50%	8
Lanark, County Of (LNRK01)	LNRK01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Lansdowne Rural Telephone (LDRT01)	LDRT01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Lanxess Canada (CMTR01)	CMTR01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Larder Lake, Township Of (LRL01)	LRL01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Lasalle, Town Of (LSL01)	LSL01	0-5	130	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		6-10	69	92.00%	6	8.00%	-	-	
		Total	199	91.28%	19	8.72%	-	-	218
	Total		199	91.28%	19	8.72%	-	-	218
Laurentian Hills, Town Of (LHWS01)	LHWS01	16+	-	-	-	-	14	100.00%	
		Total	-	-	-	-	14	100.00%	14
	Total		-	-	-	-	14	100.00%	14
Laurentian University (LRTU01)	LRTU01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Laurentian Valley, Township Of (LTV01)	LTV01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	-	-	3	100.00%	
		16+	-	-	-	-	21	100.00%	
		Total	2	7.69%	-	-	24	92.31%	26
	Total		2	7.69%	-	-	24	92.31%	26
Leamington Area Drip Irrigation (LADII01)	LADII01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	Total		12	92.31%	1	7.69%	-	-	13
Leamington District Memorial Hospital (LDMH01)	LDMH01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Leamington Water Services (L001)	L001	0-5	275	100.00%	-	-	-	-	
		16+	-	-	32	91.43%	3	8.57%	
		6-10	7	100.00%	-	-	-	-	
		Total	282	88.96%	32	10.09%	3	0.95%	317
	Total		282	88.96%	32	10.09%	3	0.95%	317
Leamington, Municipality Of (LS01)	LS01	0-5	301	100.00%	-	-	-	-	
		Total	301	100.00%	-	-	-	-	301
	Total		301	100.00%	-	-	-	-	301
Leeds And Grenville, United Counties Of (LDG01)	LDG01	0-5	54	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	55	100.00%	-	-	-	-	55
	Total		55	100.00%	-	-	-	-	55
Leeds And The Thousand Islands, Township Of (LDTI01)	LDTI01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	7	100.00%	7
	LDTI02	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	7	100.00%	7
	Total		-	-	-	-	14	100.00%	14
Lennox And Addington, County Of (LXA123)	LXA01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	14	82.35%	3	17.65%	-	-	
		Total	29	69.05%	7	16.67%	6	14.29%	42
	Total		29	69.05%	7	16.67%	6	14.29%	42

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Levant Exploration And Production Corp (RR01)	RR01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Lincoln, Town Of (LINWS01)	LINWS01	0-5	266	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		Total	266	99.25%	2	0.75%	-	-	268
	Total		266	99.25%	2	0.75%	-	-	268
Linde - Mississauga (PXRPL02)	PXRPL02	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Linde Canada Inc - Scarborough (LINDE01)	LINDE01	16+	-	-	3	42.86%	4	57.14%	
		Total	-	-	3	42.86%	4	57.14%	7
	Total		-	-	3	42.86%	4	57.14%	7
Linde Canada Inc (PXRPL01)	PXRPL01	0-5	18	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	18	94.74%	1	5.26%	-	-	19
	Total		18	94.74%	1	5.26%	-	-	19
Local Services Board Of Gogama (GOGAMA01)	GOGAMA01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
London District Energy (TG01)	TG01	0-5	27	100.00%	-	-	-	-	
		6-10	15	93.75%	1	6.25%	-	-	
		Total	42	97.67%	1	2.33%	-	-	43
	Total		42	97.67%	1	2.33%	-	-	43
London Health Sciences (LHS1)	LHS1	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4
London Hydro (L003)	L003	0-5	1,061	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	332	99.40%	2	0.60%	-	-	
		Total	1,393	98.79%	17	1.21%	-	-	1410
	LHDL01	16+	-	-	-	-	37	100.00%	
		Total	-	-	-	-	37	100.00%	37
	Total		1,393	96.27%	17	1.17%	37	2.56%	1,447
London, City Of (LN01)	LN01	0-5	1,055	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	2	3.45%	56	96.55%	
		6-10	401	99.50%	2	0.50%	-	-	
		Total	1,456	95.41%	14	0.92%	56	3.67%	1526
	Total		1,456	95.41%	14	0.92%	56	3.67%	1,526
London, City Of (LN02)	LN02	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Long Point Provincial Park (LPPP01)	LPPP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Loyalist Township (LYST123)	LYSTBS6	0-5	17	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Loyalist Township (LYST123)	LYSTBW5	0-5	17	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	LYSTEL4	0-5	47	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	60	100.00%	-	-	-	-	60
	LYSTFW1	0-5	91	100.00%	-	-	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	109	100.00%	-	-	-	-	109
	LYSTLES2	0-5	86	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	102	100.00%	-	-	-	-	102
	LYSTSTM3	0-5	93	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	113	100.00%	-	-	-	-	113
	Total		428	100.00%	-	-	-	-	428
Lucan Biddulph, Township Of (LCBD01)	LCBD01	0-5	113	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		6-10	-	-	3	100.00%	-	-	
		Total	113	91.87%	6	4.88%	4	3.25%	123
	Total		113	91.87%	6	4.88%	4	3.25%	123
Macdonald, Meredith And Aberdeen, Municipality Of (MMA01)	MMA01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
	Total		2	66.67%	-	-	1	33.33%	3
Machin, Municipality Of (MCHW01)	MCHW01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Madawaska Valley, Township Of (MWVWS01)	MWVWS01	16+	-	-	-	-	14	100.00%	
		Total	-	-	-	-	14	100.00%	14
	Total		-	-	-	-	14	100.00%	14
Malahide, Township Of (MLHD01)	MLHD01	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	33.33%	6	66.67%	-	-	
		Total	21	61.76%	13	38.24%	-	-	34
	Total		21	61.76%	13	38.24%	-	-	34
Manitouwadge, Township Of (MTW01)	MTW01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Mapleton, Township Of (MPLT01)	MPLT01	0-5	19	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	22	91.67%	1	4.17%	1	4.17%	24
	Total		22	91.67%	1	4.17%	1	4.17%	24
Marathon, Town Of (MRTH01)	MRTH01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Markham District Energy (MDE01)	MDE01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	2	100.00%	-	-	-	-	
		Total	8	72.73%	1	9.09%	2	18.18%	11
	Total		8	72.73%	1	9.09%	2	18.18%	11

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Markham Stouffville Hospital (MSH01)	MSH01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Markham, City Of - Streetlights And Traffic Signals (MUS01)	MUS01	0-5	213	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	162	100.00%	-	-	-	-	
		Total	375	99.73%	1	0.27%	-	-	376
	Total		375	99.73%	1	0.27%	-	-	376
Markham, City Of - Water And Sewer (MWS01)	MWS01	0-5	352	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	166	100.00%	-	-	-	-	
		Total	518	99.81%	1	0.19%	-	-	519
	Total		518	99.81%	1	0.19%	-	-	519
Markstay Warren, Municipality Of (MKW01)	MKW01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	8	100.00%	8
	Total		-	-	-	-	8	100.00%	8
Marmora And Lake, Municipality Of (MRMLWS01)	MRMLWS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Marwood Metals (MARWDF01)	MARWDF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Matachewan, Township Of (MTCWWS01)	MTCWWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Mattawa, Town Of (MTWAWS01)	MTWAWS01	16+	-	-	12	100.00%	-	-	
		Total	-	-	12	100.00%	-	-	12
	Total		-	-	12	100.00%	-	-	12
Mattice-Val Cote, Township Of (MVCWS01)	MVCWS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Mcdougall, Municipality Of (MCDWS01)	MCDWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Mcgarry, Township Of (MCGWS01)	MCGWS01	11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	-	-	5	100.00%	-	-	5
	Total		-	-	5	100.00%	-	-	5
Mcnab Braeside, Township Of (MCBR01)	MCBR01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	-	-	2	100.00%	-	-	
		Total	22	53.66%	7	17.07%	12	29.27%	41
	Total		22	53.66%	7	17.07%	12	29.27%	41
Meaford, Municipality Of (MFRD01)	MFRD01	0-5	32	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	36	90.00%	4	10.00%	-	-	40
	Total		36	90.00%	4	10.00%	-	-	40
Melancthon Windfarm (MELWF01)	MELWF01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Melancthon Wolfe Wind Lp (CDNP01)	CDNP01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
Merrickville-Wolford, Village Of (MEWOWS01)	MEWOWS01	16+	-	-	17	89.47%	2	10.53%	
		Total	-	-	17	89.47%	2	10.53%	19
	Total		-	-	17	89.47%	2	10.53%	19
Metalore Resources (MTLORE01)	MTLORE01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	5	83.33%	-	-	1	16.67%	6
	Total		5	83.33%	-	-	1	16.67%	6
Metro Fibrewerx (MFWX01)	MFWX01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Middlesex Centre, Municipality Of (MDLSCT01)	MDLSCT01	0-5	27	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	8	100.00%	-	-	-	-	
		Total	35	97.22%	-	-	1	2.78%	36
	Total		35	97.22%	-	-	1	2.78%	36
Middlesex, County Of (MDSX01)	MDSX01	0-5	46	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	46	97.87%	1	2.13%	-	-	47
	Total		46	97.87%	1	2.13%	-	-	47
Midland, Town Of (MIDLND01)	MIDLND01	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	32	86.49%	2	5.41%	3	8.11%	37
	Total		32	86.49%	2	5.41%	3	8.11%	37
Midland, Town Of (MIDLND03)	MIDLND03	0-5	29	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	Total		30	100.00%	-	-	-	-	30
Milton Hydro (MH123)	MHHN01	0-5	458	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	160	98.77%	2	1.23%	-	-	
		Total	618	99.04%	6	0.96%	-	-	624
	Total		618	99.04%	6	0.96%	-	-	624
Milton, Town Of (MLTSS01)	MLTNTS01	0-5	2	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	MLTSS01	0-5	95	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	88	100.00%	-	-	-	-	
		Total	183	98.92%	2	1.08%	-	-	185
	Total		189	98.95%	2	1.05%	-	-	191
Minden Hills, Township Of (MDHWS01)	MDHWS01	0-5	12	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
Minto, Town Of (MNTOWS01)	MNTOWS01	0-5	64	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Minto, Town Of (MNTOWS01)	MNTOWS01	6-10	-	-	1	100.00%	-	-	
		Total	64	98.46%	1	1.54%	-	-	65
		Total	64	98.46%	1	1.54%	-	-	65
Mississauga, City Of - Parks (MSGAPK01)	MSGAPK01	0-5	138	100.00%	-	-	-	-	
		11-15	-	-	22	68.75%	10	31.25%	
		16+	-	-	1	1.10%	90	98.90%	
		6-10	167	86.08%	27	13.92%	-	-	
		Total	305	67.03%	50	10.99%	100	21.98%	455
		Total	305	67.03%	50	10.99%	100	21.98%	455
Mississauga, City Of (MSGAS01)	MSGAS01	0-5	333	100.00%	-	-	-	-	
		6-10	121	100.00%	-	-	-	-	
		Total	454	100.00%	-	-	-	-	454
		Total	454	100.00%	-	-	-	-	454
Mississauga, City Of (MSGATS01)	MSGATS01	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	138	97.18%	4	2.82%	-	-	
		Total	177	92.67%	14	7.33%	-	-	191
		Total	177	92.67%	14	7.33%	-	-	191
Mississaugas Of Scugog Island First Nation (MSIFN01)	MSIFN01	11-15	-	-	3	100.00%	-	-	
		6-10	4	50.00%	4	50.00%	-	-	
		Total	4	36.36%	7	63.64%	-	-	11
		Total	4	36.36%	7	63.64%	-	-	11
Mississippi Mills, Town Of (MSPM01)	MSPM01	0-5	71	100.00%	-	-	-	-	
		16+	-	-	24	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	73	75.26%	24	24.74%	-	-	97
		Total	73	75.26%	24	24.74%	-	-	97
MNSI Managed Network Systems Inc (MNSI123)	MNSI01	0-5	737	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	225	99.56%	1	0.44%	-	-	
		Total	962	99.79%	2	0.21%	-	-	964
	MNSI02	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		962	99.69%	3	0.31%	-	-	965
Mohawk On The Bay Of Quinte Fibre (7GEN01)	7GEN01	0-5	30	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
		Total	31	100.00%	-	-	-	-	31
Mohawks Of The Bay Of Quinte (MBQWS01)	MBQWS01	0-5	16	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	18	78.26%	5	21.74%	-	-	23
		Total	18	78.26%	5	21.74%	-	-	23
Mono, Town Of (MNO123)	MNO01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	7	50.00%	7	50.00%	
		Total	-	-	8	53.33%	7	46.67%	15
	MNOSL01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	9	81.82%	2	18.18%	
		Total	3	20.00%	10	66.67%	2	13.33%	15
		Total	3	10.00%	18	60.00%	9	30.00%	30

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Montague, Township Of (MTG01)	MTG01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Montez Office Fund li Limited Partnership (MOFLP01)	MOFLP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Moonbeam, Township Of (MBM01)	MBM01	16+	-	-	1	33.33%	2	66.67%	
		Total	-	-	1	33.33%	2	66.67%	3
	Total		-	-	1	33.33%	2	66.67%	3
Moose Factory Service Board (MFSB01)	MFSB01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	1	100.00%	-	-	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2
Moosonee, Town Of (MSN01)	MSN01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Mornington Communications (MORNT01)	MORNT01	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	MORNT02	0-5	137	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	80	97.56%	2	2.44%	-	-	
	Total		217	97.75%	5	2.25%	-	-	222
	Total		229	97.86%	5	2.14%	-	-	234
Morris Turnberry - Storm Sewer, Municipality Of (MRT123)	MRTSS01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	MRTW01	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	Total		8	72.73%	3	27.27%	-	-	11
Mt Sinai Hospital (MTSIH01)	MTSIH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Muskoka Lakes, Township Of (MSKL01)	MSKL01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Muskoka, District Of (MUSKWS01)	MUSKSS01	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	2	50.00%	2	50.00%	
		16+	-	-	-	-	13	100.00%	
		6-10	20	60.61%	13	39.39%	-	-	
		Total	71	70.30%	15	14.85%	15	14.85%	101
	MUSKWS03	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	
		16+	-	-	1	12.50%	7	87.50%	
		6-10	22	62.86%	13	37.14%	-	-	
		Total	67	73.63%	16	17.58%	8	8.79%	91
	MUSKWS04	0-5	82	100.00%	-	-	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	88	91.67%	1	1.04%	7	7.29%	96
	MUSKWS05	0-5	89	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	17	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Muskoka, District Of (MUSKWS01)	MUSKWS05	6-10	4	100.00%	-	-	-	-	
		Total	93	83.78%	1	0.90%	17	15.32%	111
	Total		319	79.95%	33	8.27%	47	11.78%	399
Muskoka, District Of (Traffic) (MUSKTL01)	MUSKTL01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	
		16+	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	6	60.00%	2	20.00%	2	20.00%	10
	Total		6	60.00%	2	20.00%	2	20.00%	10
Nairn And Hyman, Township Of (TNHW01)	TNHW01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Nation Rise Wind Farm Limited Partnership (NRWFLP01)	NRWFLP01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Nation, Municipality Of The (NATN01)	NATN01	0-5	25	100.00%	-	-	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	31	88.57%	3	8.57%	1	2.86%	35
	Total		31	88.57%	3	8.57%	1	2.86%	35
Net Optiks - Brantford Hydro (BPNOF01)	BPNOF01	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	40	97.56%	1	2.44%	-	-	41
	Total		40	97.56%	1	2.44%	-	-	41
Net Optiks (BPNOFC01)	BPNOFC01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Netflash Internet Solutions (NISF01)	NISF01	0-5	4	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
New Tecumseth, Town Of (NTCMS01)	NTCMS01	0-5	131	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	141	100.00%	-	-	-	-	141
	Total		141	100.00%	-	-	-	-	141
Newbury, Village Of (NWBWS01)	NWBWS01	16+	-	-	4	100.00%	-	-	
		Total	-	-	4	100.00%	-	-	4
	Total		-	-	4	100.00%	-	-	4
Newmarket, Town Of (NMK01)	NMK01	0-5	71	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	33	100.00%	-	-	-	-	
		Total	104	99.05%	1	0.95%	-	-	105
	Total		104	99.05%	1	0.95%	-	-	105
Nexicom Telecommunications (NXCOM01)	NXCOM01	0-5	263	100.00%	-	-	-	-	
		6-10	5	71.43%	2	28.57%	-	-	
		Total	268	99.26%	2	0.74%	-	-	270
	Total		268	99.26%	2	0.74%	-	-	270
Niagara Falls, City Of (NFS01)	NFS01	0-5	397	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Niagara Falls, City Of (NFS01)	NFS01	6-10	258	99.61%	1	0.39%	-	-	
		Total	655	99.09%	6	0.91%	-	-	661
		Total	655	99.09%	6	0.91%	-	-	661
Niagara Parks Commission (NPC01)	NPC01	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	43	93.48%	3	6.52%	-	-	46
		Total	43	93.48%	3	6.52%	-	-	46
Niagara Peninsula Energy (NFH01)	NFH01	0-5	515	100.00%	-	-	-	-	
		6-10	265	100.00%	-	-	-	-	
		Total	780	100.00%	-	-	-	-	780
		Total	780	100.00%	-	-	-	-	780
Niagara Region Water Sanitary Storm (RN01)	RN01	0-5	842	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	42.86%	4	57.14%	
		6-10	133	99.25%	1	0.75%	-	-	
		Total	975	98.98%	6	0.61%	4	0.41%	985
		Total	975	98.98%	6	0.61%	4	0.41%	985
Niagara Region Wind Farm (NRWF01)	NRWF01	0-5	7	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
		Total	10	100.00%	-	-	-	-	10
Niagara Regional Broadband Network (NRBN01)	NRBN01	0-5	355	100.00%	-	-	-	-	
		6-10	193	100.00%	-	-	-	-	
		Total	548	100.00%	-	-	-	-	548
		Total	548	100.00%	-	-	-	-	548
Niagara, Region Of - Transportation Services (RN03)	RN03	0-5	227	100.00%	-	-	-	-	
		11-15	-	-	68	100.00%	-	-	
		16+	-	-	10	76.92%	3	23.08%	
		6-10	257	79.08%	68	20.92%	-	-	
		Total	484	76.46%	146	23.06%	3	0.47%	633
		Total	484	76.46%	146	23.06%	3	0.47%	633
Niagara-On-The-Lake Hydro (NOTL1)	NOTL1	0-5	199	100.00%	-	-	-	-	
		6-10	92	100.00%	-	-	-	-	
		Total	291	100.00%	-	-	-	-	291
		Total	291	100.00%	-	-	-	-	291
Niagara-On-The-Lake Hydro, The Town Of (NOL01)	NOL01	0-5	151	100.00%	-	-	-	-	
		6-10	72	100.00%	-	-	-	-	
		Total	223	100.00%	-	-	-	-	223
		Total	223	100.00%	-	-	-	-	223
Nipigon, Township Of (NIP01)	NIP01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	7	77.78%	2	22.22%	-	-	9
		Total	7	77.78%	2	22.22%	-	-	9
Nor-Del (NORDEL01)	NORDEL01	0-5	193	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	2	33.33%	4	66.67%	
		6-10	15	100.00%	-	-	-	-	
		Total	208	96.30%	3	1.39%	5	2.31%	216
		Total	208	96.30%	3	1.39%	5	2.31%	216

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Norfolk County (NFLK123)	NFLK01	0-5	424	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	64	94.12%	4	5.88%	-	-	
		Total	488	98.39%	8	1.61%	-	-	
	Total		488	98.39%	8	1.61%	-	-	496
North Bay Hydro (NBH01)	NBH01	0-5	215	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	84	96.55%	3	3.45%	-	-	
		Total	299	98.03%	6	1.97%	-	-	
	Total		299	98.03%	6	1.97%	-	-	305
North Bay, City Of - Private Hydro Lines (NBPE01)	NBPE01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	11.11%	8	88.89%	
		6-10	3	100.00%	-	-	-	-	
		Total	8	44.44%	2	11.11%	8	44.44%	
	Total		8	44.44%	2	11.11%	8	44.44%	18
North Bay, City Of (NBWS01)	NBWS01	0-5	98	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	15	65.22%	8	34.78%	-	-	
		Total	113	86.26%	18	13.74%	-	-	
	Total		113	86.26%	18	13.74%	-	-	131
North Dundas, Township Of (NDND123)	NDND01	0-5	16	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	
	NDND02	11-15	-	-	1	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		Total	-	-	17	100.00%	-	-	
	Total		17	50.00%	17	50.00%	-	-	34
North Frontenac Telephone Company (NFTC01)	NFTC01	0-5	242	100.00%	-	-	-	-	
		11-15	-	-	85	97.70%	2	2.30%	
		16+	-	-	11	47.83%	12	52.17%	
		6-10	116	68.24%	54	31.76%	-	-	
		Total	358	68.58%	150	28.74%	14	2.68%	
	Total		358	68.58%	150	28.74%	14	2.68%	522
North Glengarry, Township Of (NGWS01)	NGWS01	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	
		16+	-	-	-	-	1	100.00%	
		6-10	6	75.00%	2	25.00%	-	-	
		Total	29	82.86%	4	11.43%	2	5.71%	
	Total		29	82.86%	4	11.43%	2	5.71%	35
North Grenville, Municipality Of (NGR01)	NGR01	0-5	41	100.00%	-	-	-	-	
		11-15	-	-	8	88.89%	1	11.11%	
		16+	-	-	-	-	2	100.00%	
		6-10	20	74.07%	7	25.93%	-	-	
		Total	61	77.22%	15	18.99%	3	3.80%	
	Total		61	77.22%	15	18.99%	3	3.80%	79
North Huron, Township Of (NHURON01)	NHURON01	0-5	40	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	13	81.25%	3	18.75%	-	-	
		Total	53	73.61%	18	25.00%	1	1.39%	
	Total		53	73.61%	18	25.00%	1	1.39%	72
North Kent Wind 1 Lp (NKWF01)	NKWF01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
North Kent Wind 1 Lp (NKWF01)	NKWF01	6-10	1	100.00%	-	-	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
	Total		9	90.00%	1	10.00%	-	-	10
North Middlesex, Municipality Of (NMSXWS01)	NMSXWS01	0-5	69	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	69	95.83%	-	-	3	4.17%	72
	Total		69	95.83%	-	-	3	4.17%	72
North Perth, Municipality Of (NPRTH01)	NPRTH01	0-5	113	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	-	-	1	100.00%	-	-	
		Total	113	94.96%	4	3.36%	2	1.68%	119
	Total		113	94.96%	4	3.36%	2	1.68%	119
North Renfrew Telecom Company (NRTC01)	NRTC01	0-5	226	100.00%	-	-	-	-	
		11-15	-	-	23	85.19%	4	14.81%	
		16+	-	-	1	5.56%	17	94.44%	
		6-10	18	85.71%	3	14.29%	-	-	
		Total	244	83.56%	27	9.25%	21	7.19%	292
	Total		244	83.56%	27	9.25%	21	7.19%	292
North Shore, Township Of the (NSR01)	NSR01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
North Stormont, Township Of (NST01)	NST01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	19	95.00%	1	5.00%	
		Total	2	8.00%	22	88.00%	1	4.00%	25
	Total		2	8.00%	22	88.00%	1	4.00%	25
Northeastern Manitoulin And The Islands, Town (NEMIWS01)	NEMIWS01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Northern Bruce Peninsula, Municipality Of (NBPWS01)	NBPWS01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
Northern Cross Energy (NCNRG01)	NCNRG01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
	Total		2	66.67%	-	-	1	33.33%	3
Northern Ontario Wires (NOWINC01)	NOWINC01	0-5	102	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		Total	102	97.14%	2	1.90%	1	0.95%	105
	Total		102	97.14%	2	1.90%	1	0.95%	105
Northern Rural Networks (NRN01)	ASTROC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	NRN01	11-15	-	-	-	-	4	100.00%	
		16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	7	100.00%	7
	Total		-	-	-	-	8	100.00%	8
Northern Tel Limited Partnership (NT01)	NT01	0-5	301	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	6	85.71%	1	14.29%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Northern Tel Limited Partnership (NT01)	NT01	6-10	66	85.71%	11	14.29%	-	-	
		Total	367	90.39%	38	9.36%	1	0.25%	406
	Total		367	90.39%	38	9.36%	1	0.25%	406
Northumberland County (NRHB01)	NRHBSL01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	NRHBSL02	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	NRHBSS01	0-5	35	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	51	92.73%	4	7.27%	-	-	55
	NRHBSS02	0-5	11	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	NRHBTS01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
	NRHBTS02	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		82	94.25%	5	5.75%	-	-	87
Norwich, Township Of (NRW01)	NRW01	11-15	-	-	-	-	4	100.00%	
		16+	-	-	-	-	81	100.00%	
		Total	-	-	-	-	85	100.00%	85
	Total		-	-	-	-	85	100.00%	85
Nova Chemicals Corporation (N001)	N001	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
NT Power (NTPWR01)	NTPWR01	0-5	558	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	65	97.01%	2	2.99%	-	-	
		Total	623	99.05%	6	0.95%	-	-	629
	Total		623	99.05%	6	0.95%	-	-	629
Oakville Hydro (OAKHYD01)	OAKHYD01	0-5	860	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	21	100.00%	-	-	
		6-10	524	99.24%	4	0.76%	-	-	
		Total	1,384	97.46%	36	2.54%	-	-	1420
	Total		1,384	97.46%	36	2.54%	-	-	1,420
Oakville, Town Of (OAK123)	OAKBS01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	OAKSS01	0-5	962	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	230	99.57%	1	0.43%	-	-	
		Total	1,192	98.51%	18	1.49%	-	-	1210
	OAKTS01	0-5	93	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Oakville, Town Of (OAK123)	OAKTS01	6-10	75	97.40%	2	2.60%	-	-	
		Total	168	93.85%	11	6.15%	-	-	179
	Total		1,372	97.86%	30	2.14%	-	-	1,402
Oil Springs, Village Of (OSWS01)	OSWS01	0-5	9	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Oliver Paipoonge, Municipality Of (OLVPPG01)	OLVPPG01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	OLVPPG02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	OLVPPG03	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		5	100.00%	-	-	-	-	5
On-Energy Corp (ONNRG01)	ONNRG01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	9	75.00%	-	-	3	25.00%	12
	Total		9	75.00%	-	-	3	25.00%	12
Ontario Clean Water Agency (OCWAW01)	OCWAW01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Ontario Power Generation - Darlington (OPGD1)	OPGD1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Ontario Power Generation - Lambton (OPGL1)	OPGL1	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4
Ontario Power Generation - Niagara (OPGN123)	OPGN1	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	OPGN2	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		5	62.50%	-	-	3	37.50%	8
Ontera - A Division Of Northerntel (ONTERA)	ONTERA01	0-5	26	100.00%	-	-	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	34	97.14%	1	2.86%	-	-	35
	ONTERA02	0-5	12	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	17	94.44%	1	5.56%	-	-	18
	ONTERA03	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	27	93.10%	2	6.90%	-	-	29
	ONTERA04	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	57	96.61%	2	3.39%	-	-	59
	ONTERA05	0-5	5	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ontera - A Division Of Northerntel (ONTERA)	ONTERA05	6-10	1	100.00%	-	-	-	-	6
		Total	6	100.00%	-	-	-	-	
	ONTERA06	0-5	68	100.00%	-	-	-	-	
		16+	-	-	19	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	69	78.41%	19	21.59%	-	-	
	Total		210	89.36%	25	10.64%	-	-	235
Opasatika, Township Of (OPTKWS01)	OPTKWS01	11-15	-	-	1	100.00%	-	-	1
		Total	-	-	1	100.00%	-	-	
	Total		-	-	1	100.00%	-	-	1
Orangeville Fibre, Town Of (ORGV02)	ORGV02	0-5	18	100.00%	-	-	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	44	100.00%	-	-	-	-	
	Total		44	100.00%	-	-	-	-	44
Orangeville Hydro (ORGVH01)	ORGVH01	0-5	154	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	49	100.00%	-	-	-	-	
		Total	203	99.02%	1	0.49%	1	0.49%	
	Total		203	99.02%	1	0.49%	1	0.49%	205
Orangeville, Town Of (ORGV01)	ORGV01	0-5	187	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	194	100.00%	-	-	-	-	
	Total		194	100.00%	-	-	-	-	194
Orillia, City Of (ORIL123)	ORILSL01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	7	70.00%	3	30.00%	-	-	
		Total	22	75.86%	4	13.79%	3	10.34%	
	ORILT01	0-5	35	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	32	100.00%	
		Total	35	50.72%	1	1.45%	33	47.83%	
	ORILWS01	0-5	83	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	11.11%	8	88.89%	
		6-10	36	100.00%	-	-	-	-	
		Total	119	90.84%	4	3.05%	8	6.11%	
	Total		176	76.86%	9	3.93%	44	19.21%	229
Oro-Medonte, Township Of (ORMED01)	ORMED01	0-5	31	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	32	100.00%	-	-	-	-	
	Total		32	100.00%	-	-	-	-	32
Oshawa PUC Hydro/St Lights (OSHYD1)	OSHGE01	0-5	290	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	5	71.43%	2	28.57%	
		6-10	160	98.77%	2	1.23%	-	-	
		Total	450	95.14%	21	4.44%	2	0.42%	
	OSHGE03	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	15	100.00%	-	-	-	-	
		Total	32	84.21%	5	13.16%	1	2.63%	
	Total		482	94.32%	26	5.09%	3	0.59%	511

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Oshawa, City Of - Catch Basins (OSH02)	OSH02	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	8	88.89%	-	-	1	11.11%	
	Total		8	88.89%	-	-	1	11.11%	9
Oshawa, City Of (OSH01)	OSH01	0-5	91	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	7	77.78%	2	22.22%	
		6-10	107	98.17%	2	1.83%	-	-	
		Total	198	90.41%	19	8.68%	2	0.91%	
	Total		198	90.41%	19	8.68%	2	0.91%	219
Otonabee-South Monaghan, Township Of (OSMW01)	OSMW01	16+	-	-	4	66.67%	2	33.33%	
		Total	-	-	4	66.67%	2	33.33%	
	Total		-	-	4	66.67%	2	33.33%	6
Ottawa River Power (ORP01)	ORP01	0-5	126	100.00%	-	-	-	-	
		Total	126	100.00%	-	-	-	-	
	Total		126	100.00%	-	-	-	-	126
Ottawa River Power (ORP02)	ORP02	0-5	53	100.00%	-	-	-	-	
		6-10	34	100.00%	-	-	-	-	
		Total	87	100.00%	-	-	-	-	
	Total		87	100.00%	-	-	-	-	87
Ottawa, City Of - Street Lights (OTWASL01)	OTWASL01	0-5	3,592	100.00%	-	-	-	-	
		6-10	241	100.00%	-	-	-	-	
		Total	3,833	100.00%	-	-	-	-	
	Total		3,833	100.00%	-	-	-	-	3,833
Ottawa, City Of - Traffic Signals (OTWATS01)	OTWATS01	0-5	639	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	10	100.00%	-	-	-	-	
		Total	649	98.48%	8	1.21%	2	0.30%	
	Total		649	98.48%	8	1.21%	2	0.30%	659
Ottawa, City Of - Water-Sewer (OTWAWS01)	OTWAWS01	0-5	3,330	100.00%	-	-	-	-	
		11-15	-	-	55	100.00%	-	-	
		16+	-	-	2	40.00%	3	60.00%	
		6-10	794	99.62%	3	0.38%	-	-	
		Total	4,124	98.50%	60	1.43%	3	0.07%	
	Total		4,124	98.50%	60	1.43%	3	0.07%	4,187
Ottawa, University Of (UOTT01)	UOTT01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	
	Total		-	-	-	-	4	100.00%	4
Owen Sound, City Of (OWSD01)	OWSD01	0-5	121	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	123	94.62%	1	0.77%	6	4.62%	
	Total		123	94.62%	1	0.77%	6	4.62%	130
Oxford, County Of - Fiber (OXFF01)	OXFF01	0-5	1	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	4	80.00%	1	20.00%	-	-	
	Total		4	80.00%	1	20.00%	-	-	5
Oxford, County Of - Street Lights (OXFSL01)	OXFSL01	0-5	5	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	
	Total		8	100.00%	-	-	-	-	8

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Oxford, County Of - Traffic (OXFTS01)	OXFTS01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	10	90.91%	1	9.09%	-	-	
	Total		10	90.91%	1	9.09%	-	-	11
Oxford, County Of - Water & Sewer (OXFWS01)	OXFWS01	0-5	349	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	353	99.44%	2	0.56%	-	-	
	Total		353	99.44%	2	0.56%	-	-	355
Oxford, County Of (OXFSTM01)	OXFSTM01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	
	Total		10	100.00%	-	-	-	-	10
Packet Works (PWRKST01)	PWRKST01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	Total		4	100.00%	-	-	-	-	4
Parkhill Wind Farm (Nextera) (PHWF01)	PHWF01	0-5	66	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	67	98.53%	1	1.47%	-	-	
	Total		67	98.53%	1	1.47%	-	-	68
Parry Sound, Town Of (PYWS123)	PYWS01	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	50.00%	3	50.00%	-	-	
		Total	28	87.50%	4	12.50%	-	-	
	PYWS02	0-5	1	100.00%	-	-	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	2	50.00%	2	50.00%	-	-	
	Total		30	83.33%	6	16.67%	-	-	36
Pearson (Piff) And Gtaa (PIFFC01)	PIFFC01	0-5	4	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	
	Total		10	100.00%	-	-	-	-	10
Peel Region - Brampton Sanitary Sewer (PCYSANS123)	PRBM02	0-5	265	100.00%	-	-	-	-	
		11-15	-	-	100	100.00%	-	-	
		16+	-	-	57	68.67%	26	31.33%	
		6-10	562	98.08%	11	1.92%	-	-	
		Total	827	81.00%	168	16.45%	26	2.55%	
	PREBM02	0-5	95	100.00%	-	-	-	-	
		11-15	-	-	23	95.83%	1	4.17%	
		16+	-	-	18	66.67%	9	33.33%	
		6-10	168	98.25%	3	1.75%	-	-	
		Total	263	82.97%	44	13.88%	10	3.15%	
	PREC02	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	14	93.33%	1	6.67%	-	-	
		Total	22	78.57%	5	17.86%	1	3.57%	
	PROC02	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	2	22.22%	7	77.78%	
		6-10	56	94.92%	3	5.08%	-	-	
		Total	83	73.45%	23	20.35%	7	6.19%	
	Total		1,195	80.80%	240	16.23%	44	2.97%	1,479

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Peel Region - Brampton Storm Sewer (PCYSTOS123)	PRBM03	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	8	53.33%	7	46.67%	
		6-10	122	99.19%	1	0.81%	-	-	
		Total	171	85.07%	23	11.44%	7	3.48%	
	PREBM03	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	3	75.00%	1	25.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	10	100.00%	-	-	-	-	
		Total	14	73.68%	3	15.79%	2	10.53%	
	PREC03	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	15	100.00%	-	-	-	-	
		Total	18	85.71%	2	9.52%	1	4.76%	
	PROC03	0-5	32	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	4	40.00%	6	60.00%	
		6-10	77	98.72%	1	1.28%	-	-	
		Total	109	78.99%	23	16.67%	6	4.35%	
	Total		312	82.32%	51	13.46%	16	4.22%	379
Peel Region - Brampton Water (PCYWAT123)	PIPP05	0-5	16	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	
	POCWA05	0-5	25	100.00%	-	-	-	-	
		6-10	8	80.00%	2	20.00%	-	-	
		Total	33	94.29%	2	5.71%	-	-	35
	PRBM01	0-5	652	100.00%	-	-	-	-	
		11-15	-	-	143	97.95%	3	2.05%	
		16+	-	-	77	63.64%	44	36.36%	
		6-10	832	97.20%	24	2.80%	-	-	
		Total	1,484	83.61%	244	13.75%	47	2.65%	1775
	PREBM01	0-5	54	100.00%	-	-	-	-	
		11-15	-	-	23	95.83%	1	4.17%	
		16+	-	-	14	87.50%	2	12.50%	
		6-10	129	96.27%	5	3.73%	-	-	
		Total	183	80.26%	42	18.42%	3	1.32%	228
	PREC01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	6	85.71%	1	14.29%	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	22	95.65%	1	4.35%	-	-	
		Total	29	72.50%	8	20.00%	3	7.50%	40
	PROC01	0-5	84	100.00%	-	-	-	-	
		11-15	-	-	28	90.32%	3	9.68%	
		16+	-	-	10	47.62%	11	52.38%	
		6-10	120	96.77%	4	3.23%	-	-	
		Total	204	78.46%	42	16.15%	14	5.38%	260
	Total		1,949	82.80%	338	14.36%	67	2.85%	2,354
Peel Region (PEEL123)	PEELTS04	0-5	37	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	141	100.00%	-	-	-	-	
		Total	178	98.34%	3	1.66%	-	-	
	Total		178	98.34%	3	1.66%	-	-	181
Peel, Region Of (Peel Fibre Optics) (MISS01)	MISS01	0-5	289	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Peel, Region Of (Peel Fibre Optics) (MISS01)	MISS01	6-10	345	100.00%	-	-	-	-	
		Total	634	99.06%	6	0.94%	-	-	640
	Total		634	99.06%	6	0.94%	-	-	640
Pelee Island, Township Of (PLEWSL01)	PLEWSL01	11-15	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Pelham, Town Of (PEL1)	PEL1	0-5	182	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	195	99.49%	1	0.51%	-	-	196
	Total		195	99.49%	1	0.51%	-	-	196
Pembina Pipeline (PEMBPL01)	PEMBPL01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total		2	66.67%	1	33.33%	-	-	3
Pembroke, City Of (PMBRK01)	PMBRK01	0-5	118	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	118	98.33%	2	1.67%	-	-	120
	Total		118	98.33%	2	1.67%	-	-	120
Penetanguishene, Town Of (PENTAN01)	PENTAN01	0-5	36	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	41	100.00%	-	-	-	-	41
	Total		41	100.00%	-	-	-	-	41
Pennytel Inc (PENTEL01)	PENTEL01	11-15	-	-	-	-	3	100.00%	
		16+	-	-	14	60.87%	9	39.13%	
		Total	-	-	14	53.85%	12	46.15%	26
	Total		-	-	14	53.85%	12	46.15%	26
Perth East, Township Of (PRTHE01)	PRTHE01	0-5	17	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	Total		18	100.00%	-	-	-	-	18
Perth South, Township Of (PERTHS123)	PERTHS01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	PERTHS02	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		13	100.00%	-	-	-	-	13
Perth, Town Of (PERTH01)	PERTH01	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	4	44.44%	5	55.56%	-	-	
		Total	28	80.00%	7	20.00%	-	-	35
	Total		28	80.00%	7	20.00%	-	-	35
Petawawa, Town Of (PTWA123)	PTWA01	0-5	114	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	115	96.64%	-	-	4	3.36%	119
	PTWASL01	0-5	40	100.00%	-	-	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	69	100.00%	-	-	-	-	69
	Total		184	97.87%	-	-	4	2.13%	188
Peterborough, City Of (PTRB01)	PTRB01	0-5	194	100.00%	-	-	-	-	
		11-15	-	-	105	100.00%	-	-	
		16+	-	-	-	-	15	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Peterborough, City Of (PTRB01)	PTRB01	6-10	88	31.21%	194	68.79%	-	-	
		Total	282	47.32%	299	50.17%	15	2.52%	596
	Total		282	47.32%	299	50.17%	15	2.52%	596
Peterborough, County Of (PTB01)	PTB01	0-5	142	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	142	98.61%	-	-	2	1.39%	144
	Total		142	98.61%	-	-	2	1.39%	144
Petro-Canada Lubricants (PCLUPL01)	PCLUPL01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	1	25.00%	3	75.00%	-	-	4
	Total		1	25.00%	3	75.00%	-	-	4
Petrolia, Town Of (P002)	P002	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	6	35.29%	11	64.71%	-	-	
		Total	37	63.79%	16	27.59%	5	8.62%	58
	Total		37	63.79%	16	27.59%	5	8.62%	58
Pickering, City Of (PKRG01)	PKRG01	0-5	294	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	50	96.15%	2	3.85%	-	-	
		Total	344	98.85%	4	1.15%	-	-	348
	Total		344	98.85%	4	1.15%	-	-	348
Pickle Lake, Municipality Of (PKLWS01)	PKLWS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Pine Valley Drive - Private Owner (PRPV01)	PRPV01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Plympton-Wyoming, Town Of (PLWWSS01)	PLWWSS01	0-5	98	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	5	100.00%	
		6-10	10	100.00%	-	-	-	-	
		Total	108	94.74%	-	-	6	5.26%	114
	Total		108	94.74%	-	-	6	5.26%	114
Point Edward, Village Of (PE01)	PE01	0-5	15	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
POMAS FARMS INC. (POMF01)	POMF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Port Burwell Area Secondary Water Supply (PBSWS01)	PBSWS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	2	50.00%	-	-	2	50.00%	4
	Total		2	50.00%	-	-	2	50.00%	4
Port Colborne, City Of (PRTCLB01)	PRTCLB01	0-5	121	100.00%	-	-	-	-	
		16+	-	-	-	-	10	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	127	92.70%	-	-	10	7.30%	137
	Total		127	92.70%	-	-	10	7.30%	137

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Port Dover And Nanticoke Wind Project (PDNWP01)	PDNWP01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Port Hope, Municipality Of (PH123)	PH01	0-5	102	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	124	96.88%	4	3.13%	-	-	128
	Total		124	96.88%	4	3.13%	-	-	128
Powassan, Municipality Of (PWSN01)	PWSN01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	6	100.00%	6
	Total		-	-	-	-	6	100.00%	6
Prescott And Russell, United Counties Of (PRERUS123)	PRERUS01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	PRERUS02	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	PRERUS03	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	7	100.00%	7
	Total		-	-	-	-	11	100.00%	11
Prescott, Town Of (PRS01)	PRS01	0-5	25	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	Total		25	100.00%	-	-	-	-	25
Primus Management Ulc (PMT01)	PMT01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Prince Edward, County Of (PEC04)	PEC04	0-5	56	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	72	100.00%	-	-	-	-	72
	Total		72	100.00%	-	-	-	-	72
Public Services and Procurement Canada – Services publics et Approvisionnement Canada (PSPC01)	PSPC01	0-5	47	100.00%	-	-	-	-	
		Total	47	100.00%	-	-	-	-	47
	Total		47	100.00%	-	-	-	-	47
Puslinch, Township Of (PSLNC01)	PSLNC01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Q9 Networks (QNET01)	QNET01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Quality Cable and Wireless Telecommunications (QCWT01)	QCWT01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Queen's University (QUEENU01)	QUEENU01	0-5	20	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
	Total		20	100.00%	-	-	-	-	20
Queen's University Fibre (QUEENF01)	QUEENF01	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	18	94.74%	1	5.26%	-	-	19
	Total		18	94.74%	1	5.26%	-	-	19
Quinte West, City Of (QWF123)	QWF01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Quinte West, City Of (QW123)	QWF01	6-10	7	87.50%	1	12.50%	-	-	
		Total	14	77.78%	2	11.11%	2	11.11%	18
	QWSL01	0-5	79	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	11	44.00%	14	56.00%	-	-	
		Total	90	82.57%	18	16.51%	1	0.92%	109
	QWSN01	0-5	62	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	37	94.87%	2	5.13%	-	-	
		Total	99	96.12%	4	3.88%	-	-	103
	QWSS01	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	29	93.55%	2	6.45%	-	-	
		Total	81	95.29%	4	4.71%	-	-	85
	QWTS01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	11	91.67%	1	8.33%	-	-	12
	QWW01	0-5	74	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	43	95.56%	2	4.44%	-	-	
		Total	117	95.90%	5	4.10%	-	-	122
	Total		412	91.76%	34	7.57%	3	0.67%	449
Rainy River, Town Of (RNYRWS01)	RNYRWS01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4
Raleigh Wind Energy Centre (RWE01)	RWE01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Ramara, Township Of (RMAWS01)	RMAWS01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	3	100.00%	-	-	
		Total	13	76.47%	4	23.53%	-	-	17
	Total		13	76.47%	4	23.53%	-	-	17
Real Oil Enterprises (ROPL01)	ROPL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Red Lake, Municipality Of (RLSS01)	RLSS01	0-5	21	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total		22	100.00%	-	-	-	-	22
Red Rock, Township Of (RDRK01)	RDRK01	16+	-	-	5	100.00%	-	-	
		Total	-	-	5	100.00%	-	-	5
	Total		-	-	5	100.00%	-	-	5
Region of Halton Water (HLTNW123)	HLTNW01	0-5	50	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	33.33%	4	66.67%	-	-	
		Total	52	91.23%	4	7.02%	1	1.75%	57
	HLTNW02	0-5	621	100.00%	-	-	-	-	
		11-15	-	-	34	94.44%	2	5.56%	
		16+	-	-	2	28.57%	5	71.43%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Region of Halton Water (HLTNW123)	HLTNW02	6-10	185	97.37%	5	2.63%	-	-	
		Total	806	94.38%	41	4.80%	7	0.82%	854
	Total		858	94.18%	45	4.94%	8	0.88%	911
Region Of Waterloo (North Dumfries Wellesley Sewer) (RW05)	RW05	0-5	34	100.00%	-	-	-	-	
		6-10	5	62.50%	3	37.50%	-	-	
		Total	39	92.86%	3	7.14%	-	-	42
	Total		39	92.86%	3	7.14%	-	-	42
Region Of Waterloo, Rapid Transit (WLRT01)	WLRT01	0-5	38	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	57	98.28%	1	1.72%	-	-	58
	Total		57	98.28%	1	1.72%	-	-	58
Renfrew Hydro (RFH01)	RFH01	0-5	68	100.00%	-	-	-	-	
		Total	68	100.00%	-	-	-	-	68
	Total		68	100.00%	-	-	-	-	68
Renfrew, County Of (RNF123)	RNF01	0-5	77	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	83	97.65%	2	2.35%	-	-	85
	Total		83	97.65%	2	2.35%	-	-	85
Renfrew, Town Of (RNF01)	RNF01	0-5	66	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	66	97.06%	-	-	2	2.94%	68
	RNF02	0-5	63	100.00%	-	-	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		Total	63	92.65%	3	4.41%	2	2.94%	68
	Total		129	94.85%	3	2.21%	4	2.94%	136
Richmond Hill, Town Of (RHL01)	RHL01	0-5	317	100.00%	-	-	-	-	
		Total	317	100.00%	-	-	-	-	317
	Total		317	100.00%	-	-	-	-	317
Richmond Hill, Town Of (RHLE01)	RHLE01	0-5	17	100.00%	-	-	-	-	
		16+	-	-	12	92.31%	1	7.69%	
		6-10	12	100.00%	-	-	-	-	
		Total	29	69.05%	12	28.57%	1	2.38%	42
	Total		29	69.05%	12	28.57%	1	2.38%	42
Richmond Hill, Town Of (RHLTS01)	RHLTS01	0-5	4	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Rideau Lakes, Township Of (RIL01)	RIL01	6-10	1	50.00%	1	50.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Rideau St Lawrence Utilities (RSLU01)	RSLU01	0-5	68	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	72	100.00%	-	-	-	-	72
	Total		72	100.00%	-	-	-	-	72
Rogers Communications (ROG123)	CABLET01	0-5	173	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	185	100.00%	-	-	-	-	185
	ROGGE01	0-5	1,127	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	85	100.00%	-	-	-	-	
		Total	1,212	99.59%	5	0.41%	-	-	1217

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Rogers Communications (ROG123)	ROGHN01	0-5	983	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	557	99.46%	3	0.54%	-	-	
		Total	1,540	97.96%	32	2.04%	-	-	
	ROGLDN01	0-5	1,058	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	233	100.00%	-	-	-	-	
		Total	1,291	99.38%	8	0.62%	-	-	
	ROGNTH01	16+	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	3	60.00%	2	40.00%	-	-	
	ROGOE01	0-5	82	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	88	98.88%	1	1.12%	-	-	
	ROGOTT01	0-5	2,881	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	407	100.00%	-	-	-	-	
		Total	3,288	99.76%	8	0.24%	-	-	
	ROGPEL01	0-5	1,191	100.00%	-	-	-	-	
		11-15	-	-	166	100.00%	-	-	
		16+	-	-	56	100.00%	-	-	
		6-10	652	94.77%	36	5.23%	-	-	
		Total	1,843	87.72%	258	12.28%	-	-	
	ROGRAIL1	0-5	199	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	207	94.95%	11	5.05%	-	-	
	ROGSIM01	0-5	886	100.00%	-	-	-	-	
		11-15	-	-	119	100.00%	-	-	
		16+	-	-	138	100.00%	-	-	
		6-10	293	79.40%	76	20.60%	-	-	
		Total	1,179	77.98%	333	22.02%	-	-	
	ROGSWO01	0-5	115	100.00%	-	-	-	-	
		6-10	63	100.00%	-	-	-	-	
		Total	178	100.00%	-	-	-	-	
	ROGTOR01	0-5	2,488	100.00%	-	-	-	-	
		11-15	-	-	26	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	672	98.53%	10	1.47%	-	-	
		Total	3,160	98.75%	40	1.25%	-	-	
	ROGWAT01	0-5	1,891	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	416	99.52%	2	0.48%	-	-	
		Total	2,307	99.65%	8	0.35%	-	-	
	ROGWIN01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	ROGYRK01	0-5	807	100.00%	-	-	-	-	
		11-15	-	-	330	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Rogers Communications (ROG123)	ROGYRK01	16+	-	-	171	100.00%	-	-	
		6-10	400	82.82%	83	17.18%	-	-	
		Total	1,207	67.39%	584	32.61%	-	-	1791
	RUWV01	0-5	76	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	79	100.00%	-	-	-	-	79
	SJRB01	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	37	97.37%	1	2.63%	-	-	38
	SJRB02	0-5	233	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	118	99.16%	1	0.84%	-	-	
		Total	351	97.50%	9	2.50%	-	-	360
	SJRB03	0-5	75	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	31	100.00%	-	-	-	-	
		Total	106	97.25%	3	2.75%	-	-	109
	SJRB04	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		18,265	93.34%	1,303	6.66%	-	-	19,568
Romney Wind Energy Centre Lp (RWE01)	RWE01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Rowe Energy Corporation (ROWE01)	ROWE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Roxborough Telephone Co Ltd (ROXT01)	ROXT01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	8	61.54%	5	38.46%	-	-	13
	Total		8	61.54%	5	38.46%	-	-	13
Russell, Township Of (RSEL01)	RSEL01	0-5	185	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	188	98.95%	1	0.53%	1	0.53%	190
	Total		188	98.95%	1	0.53%	1	0.53%	190
Ryerson University (RYEU01)	RYEU01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	2	20.00%	8	80.00%	-	-	10
	Total		2	20.00%	8	80.00%	-	-	10
Sables-Spanish Rivers, Township Of (SSR123)	SSRMA01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Sarnia, City Of (C006)	C006	0-5	509	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	511	99.80%	-	-	1	0.20%	512
	Total		511	99.80%	-	-	1	0.20%	512
Saugeen First Nations Water (SFNW01)	SFNW01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	17	100.00%	
		Total	-	-	-	-	18	100.00%	18
	Total		-	-	-	-	18	100.00%	18

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Saugeen Shores, Town Of (SS123)	SSFM01	0-5	5	100.00%	-	-	-	-	16
		6-10	11	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	
	SSSL01	0-5	150	100.00%	-	-	-	-	150
		Total	150	100.00%	-	-	-	-	
	SSWS01	0-5	126	100.00%	-	-	-	-	181
		6-10	48	87.27%	7	12.73%	-	-	
		Total	174	96.13%	7	3.87%	-	-	
	Total		340	97.98%	7	2.02%	-	-	347
Sault Ste. Marie Puc Distribution Inc. (SSMPU123)	SSMPUE01	0-5	516	100.00%	-	-	-	-	566
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	35	94.59%	2	5.41%	-	-	
		Total	551	97.35%	15	2.65%	-	-	
	SSMPUW01	0-5	470	100.00%	-	-	-	-	516
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	33	94.29%	2	5.71%	-	-	
		Total	503	97.48%	13	2.52%	-	-	
	Total		1,054	97.41%	28	2.59%	-	-	1,082
Sault Ste. Marie, City Of (SSM01)	SSM01	0-5	139	100.00%	-	-	-	-	154
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	143	92.86%	8	5.19%	3	1.95%	
	Total		143	92.86%	8	5.19%	3	1.95%	154
Schreiber, Municipality Of (SCBWS01)	SCBWS01	0-5	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Scugog, Township Of (SCG01)	SCG01	0-5	106	100.00%	-	-	-	-	117
		16+	-	-	1	100.00%	-	-	
		6-10	5	50.00%	5	50.00%	-	-	
		Total	111	94.87%	6	5.13%	-	-	
	Total		111	94.87%	6	5.13%	-	-	117
Selwyn, Township Of (SLWN01)	SLWN01	0-5	21	100.00%	-	-	-	-	22
		16+	-	-	-	-	1	100.00%	
		Total	21	95.45%	-	-	1	4.55%	
	Total		21	95.45%	-	-	1	4.55%	22
Selwyn, Township Of (SLWN02)	SLWN02	0-5	16	100.00%	-	-	-	-	19
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	18	94.74%	1	5.26%	-	-	
	Total		18	94.74%	1	5.26%	-	-	19
Selwyn, Township Of (SLWN03)	SLWN03	0-5	16	100.00%	-	-	-	-	19
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	18	94.74%	1	5.26%	-	-	
	Total		18	94.74%	1	5.26%	-	-	19
Severn, Township Of (SEVERN01)	SEVERN01	0-5	38	100.00%	-	-	-	-	40
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	38	95.00%	2	5.00%	-	-	
	SEVERN02	0-5	9	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Severn, Township Of (SEVERN01)	SEVERN02	6-10	3	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		50	96.15%	2	3.85%	-	-	52
Shared Tower Inc (SHARET01)	SHARET01	16+	-	-	-	-	21	100.00%	
		Total	-	-	-	-	21	100.00%	21
	SHARET02	0-5	14	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
	Total		21	50.00%	-	-	21	50.00%	42
Shelburne, Town Of (SHLB01)	SHLB01	0-5	22	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
	Total		28	100.00%	-	-	-	-	28
Shell Canada - Sault Ste. Marie (SHL2)	SHL2	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Shell Canada (SHL1)	SHL1	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Silver Bay Water (SBW1)	SBW1	16+	-	-	4	100.00%	-	-	
		Total	-	-	4	100.00%	-	-	4
	Total		-	-	4	100.00%	-	-	4
Silvercreek Nominee Inc (SCSF01)	SCSF01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Simcoe, County Of (SIM01)	SIM01	0-5	17	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	SIM02	0-5	18	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	Total		35	100.00%	-	-	-	-	35
Sioux Lookout Hydro (SILOH01)	SILOH01	0-5	22	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	22	95.65%	1	4.35%	-	-	23
	Total		22	95.65%	1	4.35%	-	-	23
Sioux Lookout, Municipality Of (SILOWS01)	SILOWS01	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
Six Nations Gas (SNG01)	SNG01	0-5	48	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	10	100.00%	
		6-10	8	42.11%	11	57.89%	-	-	
		Total	56	64.37%	21	24.14%	10	11.49%	87
	Total		56	64.37%	21	24.14%	10	11.49%	87
Sky Generation (Sprott Power) (SGPLWF01)	SGPLWF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Skyway 8 (SW8WF01)	SW8WF01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Smart Network Solutions (SNS01)	SNS01	0-5	32	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Smart Network Solutions (SNS01)	SNS01	6-10	6	100.00%	-	-	-	-	
		Total	38	100.00%	-	-	-	-	38
	Total		38	100.00%	-	-	-	-	38
Smiths Falls, Town Of (SMFS01)	SMFS01	0-5	78	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	90	100.00%	-	-	-	-	90
	Total		90	100.00%	-	-	-	-	90
Smooth Rock Falls, Town Of (SRF01)	SRF01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	6	100.00%	6
	Total		-	-	-	-	6	100.00%	6
Société en Commandite Waltham Energie (WALTE01)	WALTE01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	1	33.33%	-	-	2	66.67%	3
	Total		1	33.33%	-	-	2	66.67%	3
South Bruce Peninsula, Town Of (SBPWSS01)	SBPWSS01	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	2	13.33%	13	86.67%	
		6-10	3	16.67%	15	83.33%	-	-	
		Total	26	36.62%	32	45.07%	13	18.31%	71
	Total		26	36.62%	32	45.07%	13	18.31%	71
South Bruce, Municipality Of (SBWS01)	SBWS01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	3	50.00%	3	50.00%	-	-	
		Total	16	72.73%	4	18.18%	2	9.09%	22
	Total		16	72.73%	4	18.18%	2	9.09%	22
South Dundas, Municipality Of (SDS01)	SDS01	0-5	41	100.00%	-	-	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		Total	41	91.11%	1	2.22%	3	6.67%	45
	Total		41	91.11%	1	2.22%	3	6.67%	45
South Frontenac, Township Of (SF123)	SFS01	0-5	1	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	SFSL01	6-10	1	50.00%	1	50.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		2	50.00%	2	50.00%	-	-	4
South Glengarry, Township Of (SGG01)	SGG01	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	1	33.33%	2	66.67%	
	Total		49	92.45%	1	1.89%	3	5.66%	53
South Huron Hospital (SHHA01)	SHHA01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
South Huron, Municipality Of (SHURN01)	SHURN01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	-	-	15	100.00%	
		16+	-	-	-	-	123	100.00%	
		Total	12	8.00%	-	-	138	92.00%	150
	Total		12	8.00%	-	-	138	92.00%	150
South Kent Wind Project (SKWP01)	SKWP01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
South Kent Wind Project (SKWP01)	SKWP01	6-10	1	100.00%	-	-	-	-	
		Total	15	93.75%	1	6.25%	-	-	16
		Total	15	93.75%	1	6.25%	-	-	16
South River, Village Of (SORI01)	SORI01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		Total	6	66.67%	2	22.22%	1	11.11%	9
		Total	6	66.67%	2	22.22%	1	11.11%	9
South Stormont, Township Of (SSTM01)	SSTM01	0-5	55	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	11	100.00%	-	-	-	-	
		Total	66	97.06%	-	-	2	2.94%	68
		Total	66	97.06%	-	-	2	2.94%	68
Southgate, Township (SGWS01)	SGWS01	0-5	21	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	-	-	2	100.00%	-	-	
		Total	21	84.00%	2	8.00%	2	8.00%	25
		Total	21	84.00%	2	8.00%	2	8.00%	25
Southwest Middlesex, Municipality Of (SWMSX01)	SWMSX01	0-5	41	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		Total	41	93.18%	1	2.27%	2	4.55%	44
	SWMSX02	0-5	13	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
	Total		62	95.38%	1	1.54%	2	3.08%	65
South-West Oxford, Township Of (SWOX01)	SWOX01	11-15	-	-	-	-	4	100.00%	
		16+	-	-	-	-	29	100.00%	
		Total	-	-	-	-	33	100.00%	33
		Total	-	-	-	-	33	100.00%	33
Southwold, Township Of (SOW01)	SOW01	0-5	88	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	92	100.00%	-	-	-	-	92
		Total	92	100.00%	-	-	-	-	92
Sp Belle River Wind Lp (BRWF01)	BRWF01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
		Total	4	100.00%	-	-	-	-	4
Spanish, Town Of (SPWS01)	SPWS01	11-15	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
		Total	-	-	-	-	2	100.00%	2
Spectrum Telecom Group Ltd (STGL01)	STGL01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	2	40.00%	3	60.00%	
		Total	4	44.44%	2	22.22%	3	33.33%	9
		Total	4	44.44%	2	22.22%	3	33.33%	9
Springwater, Township Of (SPRGW01)	SPRGW01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	15	71.43%	6	28.57%	-	-	21
		Total	15	71.43%	6	28.57%	-	-	21
St. Catharines, City Of (STC1)	STC1	0-5	346	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
St. Catharines, City Of (STC1)	STC1	6-10	312	100.00%	-	-	-	-	
		Total	658	99.55%	3	0.45%	-	-	661
	Total		658	99.55%	3	0.45%	-	-	661
St. Charles, Municipality Of (STC01)	STC01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
St. Clair, Township Of (M002)	M002	0-5	211	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	214	100.00%	-	-	-	-	214
	Total		214	100.00%	-	-	-	-	214
St. Columban Wind Farms Lp (STCWF01)	STCWF01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	14	100.00%	-	-	
		Total	-	-	15	100.00%	-	-	15
	Total		-	-	15	100.00%	-	-	15
St. Joseph, Township Of (STJWS01)	STJWS01	6-10	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
St. Josephs Health Care (London) (SJHC01)	SJHC01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
St. Mary's General Hospital (STMGH01)	STMGH01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
St. Mary's, Town Of (STMWS01)	STMWS01	0-5	65	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	68	100.00%	-	-	-	-	68
	Total		68	100.00%	-	-	-	-	68
St. Michael's Hospital (STMH01)	STMH01	16+	-	-	4	80.00%	1	20.00%	
		Total	-	-	4	80.00%	1	20.00%	5
	Total		-	-	4	80.00%	1	20.00%	5
St. Thomas, City Of (STHWS01)	STHSL01	0-5	143	100.00%	-	-	-	-	
		11-15	-	-	11	91.67%	1	8.33%	
		16+	-	-	-	-	2	100.00%	
		6-10	56	84.85%	10	15.15%	-	-	
		Total	199	89.24%	21	9.42%	3	1.35%	223
	STHWS01	0-5	162	100.00%	-	-	-	-	
		11-15	-	-	14	93.33%	1	6.67%	
		16+	-	-	-	-	2	100.00%	
		6-10	74	83.15%	15	16.85%	-	-	
		Total	236	88.06%	29	10.82%	3	1.12%	268
	Total		435	88.59%	50	10.18%	6	1.22%	491
Stardale Solar Lp (STARSF01)	STARSF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Stelco Steel Hamilton Works (SHW01)	SHW01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Stirling Rawdon, Township Of (STRDWS01)	STRDWS01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	1	25.00%	3	75.00%	
		16+	-	-	-	-	2	100.00%	
		Total	13	68.42%	1	5.26%	5	26.32%	19
	Total		13	68.42%	1	5.26%	5	26.32%	19

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Stone Mills, Township Of (STMSS01)	STMSS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Stonebridge Golf And Country Club (SBGCC01)	SBGCC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Storm Internet (STRMF01)	STRMF01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	Total		8	88.89%	1	11.11%	-	-	9
Stormont Dundas And Glengarry, United Counties Of (SDG01)	SDG01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	4	66.67%	1	16.67%	1	16.67%	6
	Total		4	66.67%	1	16.67%	1	16.67%	6
Stormont Dundas And Glengarry, United Counties Of (SDG02)	SDG02	0-5	6	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	5	100.00%	-	-	-	-	
		Total	11	78.57%	2	14.29%	1	7.14%	14
	Total		11	78.57%	2	14.29%	1	7.14%	14
Stratford, City Of (STRATWS01)	STRATWS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	-	-	37	100.00%	
		16+	-	-	-	-	199	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	2	0.84%	1	0.42%	236	98.74%	239
	Total		2	0.84%	1	0.42%	236	98.74%	239
Strathroy-Caradoc - Storm/Streetlights, Municipality Of (STRCSL01)	STRCSL01	0-5	58	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
	Total		58	96.67%	-	-	2	3.33%	60
	Total		58	96.67%	-	-	2	3.33%	60
Strathroy-Caradoc, Municipality Of (STRCWS01)	STRCWS01	0-5	76	100.00%	-	-	-	-	
		Total	76	100.00%	-	-	-	-	76
	Total		76	100.00%	-	-	-	-	76
Sudbury District Energy (SDEONE01)	SDEONE01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Summer Haven Wind (SHWF01)	SHWF01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	1	25.00%	2	50.00%	1	25.00%	4
	Total		1	25.00%	2	50.00%	1	25.00%	4
Sun Canada Pipeline \Transnorthern Pipeline (DVPL2)	DVPL2	0-5	33	100.00%	-	-	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	38	97.44%	1	2.56%	-	-	39
	Total		38	97.44%	1	2.56%	-	-	39
Sun Canadian Pipelines (SCP01)	DVPL1	0-5	72	100.00%	-	-	-	-	
		Total	72	100.00%	-	-	-	-	72
	S002	0-5	160	100.00%	-	-	-	-	
		Total	160	100.00%	-	-	-	-	160
	S004	0-5	30	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Sun Canadian Pipelines (SCP01)	S004	16+	-	-	-	-	1	100.00%	
		Total	30	93.75%	-	-	2	6.25%	32
	Total		262	99.24%	-	-	2	0.76%	264
Suncor Energy (SCE02)	SCE02	0-5	7	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Suncor Energy Products (SNCP05)	SNCP05	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Suncor Energy Products (SNCP03)	SNCP03	11-15	-	-	1	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	4	36.36%	7	63.64%	-	-	11
	Total		4	36.36%	7	63.64%	-	-	11
Suncor Energy Products (SNCP04)	SNCP04	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Suncor Pipelines (SNCP01)	SNCP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Sundridge, Village Of (SNDR01)	SNDR01	0-5	22	100.00%	-	-	-	-	
		6-10	5	45.45%	6	54.55%	-	-	
		Total	27	81.82%	6	18.18%	-	-	33
	Total		27	81.82%	6	18.18%	-	-	33
Superior View Gas Inc (SVGPL01)	SVGPL01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Synergy North - Kenora (SNKEN01)	SNKEN01	0-5	35	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	44	97.78%	1	2.22%	-	-	45
	Total		44	97.78%	1	2.22%	-	-	45
Synergy North - Thunder Bay (SNTB01)	SNTB01	0-5	742	100.00%	-	-	-	-	
		11-15	-	-	48	100.00%	-	-	
		6-10	201	74.44%	69	25.56%	-	-	
		Total	943	88.96%	117	11.04%	-	-	1060
	Total		943	88.96%	117	11.04%	-	-	1,060
Talbot Windfarm (TALWF01)	TALWF01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Tay, Township Of - Street Lights (TAY02)	TAY02	0-5	1	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total		2	66.67%	1	33.33%	-	-	3
Tay, Township Of (TAY01)	TAY01	0-5	51	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	52	96.30%	-	-	2	3.70%	54
	Total		52	96.30%	-	-	2	3.70%	54
Tbaytel (TBYTEL01)	TBYTEL01	0-5	506	100.00%	-	-	-	-	
		11-15	-	-	33	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Tbaytel (TBYTEL01)	TBYTEL01	16+	-	-	1	100.00%	-	-	
		6-10	194	79.18%	51	20.82%	-	-	
		Total	700	89.17%	85	10.83%	-	-	785
	TBYTEL02	0-5	32	100.00%	-	-	-	-	
		6-10	30	100.00%	-	-	-	-	
		Total	62	100.00%	-	-	-	-	62
	Total		762	89.96%	85	10.04%	-	-	847
TC Energy - East (TCP01)	TC03	0-5	257	100.00%	-	-	-	-	
		Total	257	100.00%	-	-	-	-	257
	TC06	0-5	161	100.00%	-	-	-	-	
		Total	161	100.00%	-	-	-	-	161
	TC07	0-5	65	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	65	98.48%	1	1.52%	-	-	66
	TC08	0-5	44	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	46	100.00%	-	-	-	-	46
	TC09	0-5	40	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	40	97.56%	1	2.44%	-	-	41
	TC10	0-5	118	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	9	75.00%	3	25.00%	-	-	
		Total	127	94.78%	7	5.22%	-	-	134
	TC12	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	TC13	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	TC14	0-5	17	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	TC15	0-5	8	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	TC16	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	4	44.44%	5	55.56%	-	-	9
	TC17	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	TC18	0-5	204	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	28	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	215	88.11%	29	11.89%	-	-	244
	TC19	0-5	35	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	35
	Total		1,015	95.94%	43	4.06%	-	-	1,058
Techform, A Division Of Magna Mechatronics (TCFM01)	TCFM01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Tecumseh, Town Of (TEC123)	TECS01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	11	73.33%	4	26.67%	-	-	
		Total	21	70.00%	9	30.00%	-	-	30

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Tecumseh, Town Of (TEC123)	TECW01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	21	70.00%	9	30.00%	-	-	
		Total	32	62.75%	18	35.29%	1	1.96%	
	Total		53	65.43%	27	33.33%	1	1.23%	81
Tehkummah, Township Of (TKMWS01)	TKMWS01	16+	-	-	-	-	3	100.00%	3
		Total	-	-	-	-	3	100.00%	
	Total		-	-	-	-	3	100.00%	3
Teksavvy Solutions Inc (TKSF01)	TKSF01	0-5	261	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	281	100.00%	-	-	-	-	
	Total		281	100.00%	-	-	-	-	281
Telmax Inc (TLMXF01)	TLMXF01	0-5	787	100.00%	-	-	-	-	
		11-15	-	-	49	100.00%	-	-	
		16+	-	-	4	10.81%	33	89.19%	
		6-10	156	68.12%	73	31.88%	-	-	
		Total	943	85.57%	126	11.43%	33	2.99%	
	Total		943	85.57%	126	11.43%	33	2.99%	1,102
Telus (TELUS01)	TELGE01	0-5	63	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	11	84.62%	2	15.38%	-	-	
		Total	74	93.67%	5	6.33%	-	-	
	TELGN01	0-5	100	100.00%	-	-	-	-	
		11-15	-	-	24	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	21	95.45%	1	4.55%	-	-	
		Total	121	81.21%	26	17.45%	2	1.34%	
	TELGN02	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	56	96.55%	1	1.72%	1	1.72%	
	TELGW01	0-5	86	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	13	86.67%	2	13.33%	-	-	
		Total	99	92.52%	6	5.61%	2	1.87%	
	TELHN01	0-5	179	100.00%	-	-	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	203	100.00%	-	-	-	-	
	TELOE01	0-5	341	100.00%	-	-	-	-	
		11-15	-	-	9	90.00%	1	10.00%	
		16+	-	-	1	14.29%	6	85.71%	
		6-10	116	99.15%	1	0.85%	-	-	
		Total	457	96.21%	11	2.32%	7	1.47%	
	TELONE01	0-5	38	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	41	93.18%	3	6.82%	-	-	
	TELONW01	0-5	31	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	39	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Telus (TELUS01)	TELOS01	0-5	211	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	
		16+	-	-	1	100.00%	-	-	
		6-10	101	100.00%	-	-	-	-	
		Total	312	98.73%	3	0.95%	1	0.32%	
	TELOW01	0-5	69	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	14	100.00%	-	-	-	-	
		Total	83	97.65%	1	1.18%	1	1.18%	
	TELTE01	0-5	250	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	88	98.88%	1	1.12%	-	-	
		Total	338	97.41%	7	2.02%	2	0.58%	
	TELTW01N	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	23	92.00%	2	8.00%	-	-	
		Total	70	80.46%	12	13.79%	5	5.75%	
	TELTW01S	0-5	140	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	82	100.00%	-	-	-	-	
		Total	222	93.67%	15	6.33%	-	-	
	Total		2,115	95.01%	90	4.04%	21	0.94%	2,226
Temagami, Municipality Of (TMG01)	TMG01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Temiskaming Shores, The City Of (TSWS01)	TSWS01	0-5	53	100.00%	-	-	-	-	
		Total	53	100.00%	-	-	-	-	
	Total		53	100.00%	-	-	-	-	53
Tenacity Unite PEC Inc. (TU01)	TU01	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	
	Total		-	-	3	100.00%	-	-	3
Terago Networks Inc (TNF01)	TNF01	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	Total		4	100.00%	-	-	-	-	4
Teraspan Networks (TS01)	TS01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	
	Total		8	100.00%	-	-	-	-	8
Terrace Bay, Township Of (TRBWS01)	TRBWS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	Total		4	100.00%	-	-	-	-	4
Thames Centre, Municipality Of (THCWS01)	THCWS01	0-5	37	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	41	93.18%	2	4.55%	1	2.27%	
	Total		41	93.18%	2	4.55%	1	2.27%	44
Thames Centre, Municipality Of, Storm Sewer, Drains, Streetlights (THCSS01)	THCSS01	0-5	74	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	75	100.00%	-	-	-	-	
	Total		75	100.00%	-	-	-	-	75

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Thessalon, Town Of (THSWSS01)	THSWSS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Thorold, City Of (THLD01)	THLD01	0-5	133	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	53	85.48%	9	14.52%	-	-	
		Total	186	89.86%	20	9.66%	1	0.48%	207
	Total		186	89.86%	20	9.66%	1	0.48%	207
Thunder Bay Regional HSC (TBRHSC01)	TBRHSC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Thunder Bay, City Of - Parks Property (THBY03)	THBY03	0-5	99	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	108	100.00%	-	-	-	-	108
	Total		108	100.00%	-	-	-	-	108
Thunder Bay, City Of (THBY123)	THBY01	0-5	327	100.00%	-	-	-	-	
		11-15	-	-	44	100.00%	-	-	
		16+	-	-	-	-	28	100.00%	
		6-10	73	66.36%	37	33.64%	-	-	
		Total	400	78.59%	81	15.91%	28	5.50%	509
	THBY02	0-5	399	100.00%	-	-	-	-	
		11-15	-	-	12	92.31%	1	7.69%	
		16+	-	-	1	14.29%	6	85.71%	
		6-10	46	57.50%	34	42.50%	-	-	
		Total	445	89.18%	47	9.42%	7	1.40%	499
	Total		845	83.83%	128	12.70%	35	3.47%	1,008
Tillsonburg Hydro (TLSBH01)	TLSBH01	0-5	133	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	135	99.26%	1	0.74%	-	-	136
	Total		135	99.26%	1	0.74%	-	-	136
Tillsonburg, Town Of (TSB01)	TSB01	0-5	161	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	163	100.00%	-	-	-	-	163
	Total		163	100.00%	-	-	-	-	163
Timmins, City Of - Traffic And Street Lights (TMNSSL01)	TMNSSL01	0-5	69	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	1	100.00%	-	-	-	-	
		Total	70	95.89%	2	2.74%	1	1.37%	73
	Total		70	95.89%	2	2.74%	1	1.37%	73
Timmins, City Of (TMNS01)	TMNS01	0-5	196	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	40	95.24%	2	4.76%	-	-	
		Total	236	97.52%	3	1.24%	3	1.24%	242
	Total		236	97.52%	3	1.24%	3	1.24%	242
Tiny, Township Of (TNY01)	TNY01	0-5	57	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	65	94.20%	4	5.80%	-	-	69
	Total		65	94.20%	4	5.80%	-	-	69

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Toronto Business Improvement Areas (BIA123)	BDVBIA01	0-5	6	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	
	BPGBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	BYEBIA01	0-5	6	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	
	BYWBIA01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	20	90.91%	2	9.09%	-	-	
	CPBIA01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	CRIBIA01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	DFVBIA01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	11	91.67%	1	8.33%	-	-	
	DNFBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	DYEBA01	0-5	6	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	
	EGLBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	EVBIA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	GIBBIA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	GRTBIA01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	
	HLCBIA01	11-15	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	6	85.71%	1	14.29%	-	-	
	JGBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	KRBIA01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	
	LBBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	LBVBIA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	LIBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	LSVBIA01	6-10	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	
	MTDNBIA1	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Toronto Business Improvement Areas (BIA123)	MTDSBIA1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	PDVBIA01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	PVBIA01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	8	72.73%	3	27.27%	-	-	11
	RCVBIA01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	RHBVIA01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	RMSBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	RSDBIA01	0-5	4	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	SCGBIA01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	VIBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	WVBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	WYWBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	YEBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		158	94.61%	9	5.39%	-	-	167
Toronto Community Housing (TCHC01)	TCHC01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	8	100.00%	8
	Total		-	-	-	-	8	100.00%	8
Toronto East Health Network (TEGH01)	TEGH01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Toronto Gas Extraction (TORGE01)	TORGEWN1	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Toronto Hydro (TH123)	THFWLTR1	0-5	18	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	THT21	0-5	13	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	THT23	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Hydro (TH123)	THT23	16+	-	-	3	100.00%	-	-	
		6-10	125	99.21%	1	0.79%	-	-	
		Total	192	90.14%	21	9.86%	-	-	
	THTE01	0-5	2,739	100.00%	-	-	-	-	
		11-15	-	-	60	100.00%	-	-	
		16+	-	-	28	100.00%	-	-	
		6-10	643	97.57%	16	2.43%	-	-	
		Total	3,382	97.02%	104	2.98%	-	-	
	THTVE01	0-5	142	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	31	100.00%	-	-	-	-	
		Total	173	99.43%	-	-	1	0.57%	
	THTW01N	0-5	1,475	100.00%	-	-	-	-	
		11-15	-	-	8	88.89%	1	11.11%	
		6-10	265	100.00%	-	-	-	-	
		Total	1,740	99.49%	8	0.46%	1	0.06%	
	THTW01S	0-5	1,731	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	24	100.00%	-	-	
		6-10	356	100.00%	-	-	-	-	
		Total	2,087	97.94%	44	2.06%	-	-	
	Total		7,606	97.70%	177	2.27%	2	0.03%	7,785
Toronto Traffic Signals (TORTS01)	TORTSE01	0-5	320	100.00%	-	-	-	-	
		11-15	-	-	28	100.00%	-	-	
		16+	-	-	8	88.89%	1	11.11%	
		6-10	228	99.56%	1	0.44%	-	-	
		Total	548	93.52%	37	6.31%	1	0.17%	
	TORTSE02	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	80	100.00%	-	-	-	-	
	TORTSWN1	0-5	146	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	109	100.00%	-	-	-	-	
		Total	255	99.22%	2	0.78%	-	-	
	TORTSWN2	0-5	8	100.00%	-	-	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	
	TORTSWS1	0-5	229	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	11	91.67%	1	8.33%	
		6-10	143	100.00%	-	-	-	-	
	TORTSWS2	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	63	100.00%	-	-	-	-	
		Total	94	96.91%	3	3.09%	-	-	
	Total		1,411	95.21%	69	4.66%	2	0.13%	1,482
Toronto Transit Commission (Ttc) - Communications (TTCC01)	TTCC01	0-5	158	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	5	100.00%	
		6-10	15	100.00%	-	-	-	-	
		Total	173	96.65%	-	-	6	3.35%	
	Total		173	96.65%	-	-	6	3.35%	179

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Transit Commission (Ttc) - Electrical Lines (TTCE01)	TTCE01	0-5	364	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	13	100.00%	
		6-10	51	98.08%	1	1.92%	-	-	
		Total	415	95.84%	5	1.15%	13	3.00%	
	Total		415	95.84%	5	1.15%	13	3.00%	433
Toronto Transit Commission (Ttc) - Rail Structures (TTCRS01)	TTCRS01	0-5	226	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	131	100.00%	-	-	-	-	
		Total	357	99.72%	1	0.28%	-	-	
	Total		357	99.72%	1	0.28%	-	-	358
Toronto Water and Sewer (TORW123)	TORWE01	0-5	405	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	7	77.78%	2	22.22%	
		6-10	247	96.86%	8	3.14%	-	-	
		Total	652	95.18%	31	4.53%	2	0.29%	
	TORWE02	0-5	157	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	6	75.00%	2	25.00%	
		6-10	71	94.67%	4	5.33%	-	-	
		Total	228	90.12%	23	9.09%	2	0.79%	
	TORWE03	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	55.56%	4	44.44%	-	-	
	TORWE04	0-5	59	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	27	96.43%	1	3.57%	-	-	
		Total	86	95.56%	4	4.44%	-	-	
	TORWE05	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	45	90.00%	4	8.00%	1	2.00%	
	TORWE06	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	41	95.35%	2	4.65%	-	-	
	TORWE07	0-5	612	100.00%	-	-	-	-	
		11-15	-	-	31	100.00%	-	-	
		16+	-	-	13	81.25%	3	18.75%	
		6-10	357	97.01%	11	2.99%	-	-	
		Total	969	94.35%	55	5.36%	3	0.29%	
	TORWW01	0-5	316	100.00%	-	-	-	-	
		11-15	-	-	38	100.00%	-	-	
		16+	-	-	22	100.00%	-	-	
		6-10	277	97.88%	6	2.12%	-	-	
		Total	593	89.98%	66	10.02%	-	-	
	TORWW02	0-5	200	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		6-10	220	100.00%	-	-	-	-	
		Total	420	98.36%	7	1.64%	-	-	
	TORWW04	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Toronto Water and Sewer (TORW123)	TORWW04	16+	-	-	5	100.00%	-	-	76
		6-10	26	100.00%	-	-	-	-	
		Total	70	92.11%	6	7.89%	-	-	
	TORWW05	0-5	30	100.00%	-	-	-	-	77
		11-15	-	-	2	100.00%	-	-	
		6-10	45	100.00%	-	-	-	-	
		Total	75	97.40%	2	2.60%	-	-	
	TORWW06	0-5	3	100.00%	-	-	-	-	7
		6-10	4	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	
	TORWWN03	6-10	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	
	TORWWN07	0-5	263	100.00%	-	-	-	-	513
		11-15	-	-	7	100.00%	-	-	
		6-10	243	100.00%	-	-	-	-	
		Total	506	98.64%	7	1.36%	-	-	
	TORWWS03	0-5	11	100.00%	-	-	-	-	26
		11-15	-	-	2	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	24	92.31%	2	7.69%	-	-	
	TORWWS07	0-5	366	100.00%	-	-	-	-	735
		11-15	-	-	42	100.00%	-	-	
		16+	-	-	21	100.00%	-	-	
		6-10	299	97.71%	7	2.29%	-	-	
		Total	665	90.48%	70	9.52%	-	-	
	Total		4,387	93.78%	283	6.05%	8	0.17%	4,678
Toronto, University Of (UTOR01)	UTOR01	0-5	14	100.00%	-	-	-	-	50
		6-10	36	100.00%	-	-	-	-	
		Total	50	100.00%	-	-	-	-	
	Total		50	100.00%	-	-	-	-	50
Trans Canada Utilities For York Region Fibre (YRF01)	YRF01	0-5	434	100.00%	-	-	-	-	989
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	536	100.00%	-	-	-	-	
		Total	970	98.08%	17	1.72%	2	0.20%	
	Total		970	98.08%	17	1.72%	2	0.20%	989
Transcanada Pipelines - North (TCP02)	TC04	0-5	22	100.00%	-	-	-	-	32
		16+	-	-	6	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	26	81.25%	6	18.75%	-	-	
	TC11	0-5	18	100.00%	-	-	-	-	45
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	15	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	26	57.78%	19	42.22%	-	-	
	Total		52	67.53%	25	32.47%	-	-	77
Trans-Northern Pipelines (TN01)	TN01	0-5	170	100.00%	-	-	-	-	201
		11-15	-	-	3	100.00%	-	-	
		6-10	28	100.00%	-	-	-	-	
		Total	198	98.51%	3	1.49%	-	-	
	Total		198	98.51%	3	1.49%	-	-	201
Trans-Northern Pipelines (TN02)	TN02	0-5	41	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Trans-Northern Pipelines (TN02)	TN02	6-10	7	100.00%	-	-	-	-	
		Total	48	97.96%	1	2.04%	-	-	49
	Total		48	97.96%	1	2.04%	-	-	49
Trent Hills, Municipality Of (TRH01)	TRH01	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	30	58.82%	13	25.49%	8	15.69%	51
	Total		30	58.82%	13	25.49%	8	15.69%	51
Trent Lakes, Municipality Of (TRLW01)	TRLW01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Trent University (TRENTU123)	TRENTU01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	3	60.00%	-	-	2	40.00%	5
	Total		3	60.00%	-	-	2	40.00%	5
Tribute Gas (MAGG01)	MAGG01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	9	64.29%	3	21.43%	2	14.29%	14
	Total		9	64.29%	3	21.43%	2	14.29%	14
Tuckersmith Communications (TCC01)	TCC01	0-5	310	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	37.50%	5	62.50%	
		6-10	7	100.00%	-	-	-	-	
		Total	317	97.24%	4	1.23%	5	1.53%	326
	Total		317	97.24%	4	1.23%	5	1.53%	326
Tweed, Municipality Of (TWDWS01)	TWDWS01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	3	60.00%	-	-	2	40.00%	5
	Total		3	60.00%	-	-	2	40.00%	5
University Health Network - Toronto General (UHNTG01)	UHNTG01	11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	1	25.00%	2	50.00%	1	25.00%	4
	Total		1	25.00%	2	50.00%	1	25.00%	4
University Health Network - Toronto Western (UHNW01)	UHNW01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
University Health Network (UHN01)	UHN01	0-5	4	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
University Of Western Ontario (UW01)	UW01	11-15	-	-	-	-	4	100.00%	
		16+	-	-	-	-	64	100.00%	
		Total	-	-	-	-	68	100.00%	68
	Total		-	-	-	-	68	100.00%	68
University Of Windsor (UOW01)	UOW01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
	Total		-	-	-	-	6	100.00%	6

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Uplink Communications Inc (UPLKW01)	UPLKW01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	18	100.00%	-	-	-	-	
		Total	30	81.08%	2	5.41%	5	13.51%	
	Total		30	81.08%	2	5.41%	5	13.51%	37
Upper Canada District School Board (UCDSB01)	UCDSB01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Utilities Kingston (UK123)	UKCENT01	0-5	124	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	52	88.14%	7	11.86%	-	-	
		Total	176	91.19%	14	7.25%	3	1.55%	
	UKEAST01	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	7	77.78%	2	22.22%	-	-	
		Total	33	91.67%	3	8.33%	-	-	
	UKFIBE01	0-5	197	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	58	96.67%	2	3.33%	-	-	
		Total	255	95.15%	8	2.99%	5	1.87%	
	UKWEST01	0-5	102	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	43	93.48%	3	6.52%	-	-	
		Total	145	90.06%	13	8.07%	3	1.86%	
	Total		609	92.55%	38	5.78%	11	1.67%	658
Uxbridge, Town Of (UXB01)	UXB01	0-5	88	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	16	94.12%	1	5.88%	-	-	
		Total	104	98.11%	2	1.89%	-	-	
	Total		104	98.11%	2	1.89%	-	-	106
Vale Canada (VALE01)	VALE01	0-5	35	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	35	97.22%	-	-	1	2.78%	
	Total		35	97.22%	-	-	1	2.78%	36
Vaughan (Street Lights), City Of (COV01)	COV01	0-5	600	100.00%	-	-	-	-	
		6-10	260	100.00%	-	-	-	-	
		Total	860	100.00%	-	-	-	-	
	Total		860	100.00%	-	-	-	-	860
Vaughan, City Of (Traffic Signals) (VAUGTS01)	VAUGTS01	0-5	14	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	
	Total		31	100.00%	-	-	-	-	31
Vaughan, City Of (VAUGWS01)	VAUGWS01	0-5	238	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	113	100.00%	-	-	
		Total	238	67.61%	114	32.39%	-	-	
	Total		238	67.61%	114	32.39%	-	-	352
Vianet (768812 Ontario Inc) (VNET01)	VNET01	0-5	750	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Vianet (768812 Ontario Inc) (VNET01)	VNET01	6-10	25	100.00%	-	-	-	-	
		Total	775	99.23%	5	0.64%	1	0.13%	781
		Total	775	99.23%	5	0.64%	1	0.13%	781
Videotron Senc (VDT1)	VDT1	0-5	132	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	73	96.05%	3	3.95%	-	-	
		Total	205	95.35%	9	4.19%	1	0.47%	215
	VDT2	0-5	7	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
		Total	213	95.09%	10	4.46%	1	0.45%	224
Warwick, Township Of (WWKWS01)	WWKWS01	0-5	19	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	13	92.86%	1	7.14%	-	-	
		Total	32	91.43%	1	2.86%	2	5.71%	35
	Total		32	91.43%	1	2.86%	2	5.71%	35
Wasaga Beach Distribution (WSGDIS01)	WSGDIS01	0-5	184	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	196	100.00%	-	-	-	-	196
	Total		196	100.00%	-	-	-	-	196
Wasaga Beach, Town Of (WBWS01)	WBWS01	0-5	147	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	163	100.00%	-	-	-	-	163
	Total		163	100.00%	-	-	-	-	163
Waste Connections Of Canada (PRWM01)	PRWM01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Waterloo Fibre (WATFOW01)	WATFOW01	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	31	96.88%	1	3.13%	-	-	32
	Total		31	96.88%	1	3.13%	-	-	32
Waterloo, City Of (CW01)	CW01	0-5	661	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	29	100.00%	-	-	
		6-10	24	80.00%	6	20.00%	-	-	
		Total	685	94.74%	38	5.26%	-	-	723
	Total		685	94.74%	38	5.26%	-	-	723
Waterloo, Region Of - Rural Storm Sewers (RW03)	RW03	0-5	59	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	15	93.75%	1	6.25%	-	-	
		Total	74	97.37%	2	2.63%	-	-	76
	Total		74	97.37%	2	2.63%	-	-	76
Waterloo, Region Of (North Dumfries Wellesley Water) (RW06)	RW06	0-5	127	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	22	95.65%	1	4.35%	-	-	
		Total	149	97.39%	4	2.61%	-	-	153
	Total		149	97.39%	4	2.61%	-	-	153
Waterloo, Region Of (RW02)	RW02	0-5	110	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Waterloo, Region Of (RW02)	RW02	6-10	100	99.01%	1	0.99%	-	-	
		Total	210	98.59%	2	0.94%	1	0.47%	213
	Total		210	98.59%	2	0.94%	1	0.47%	213
Waterloo, University Of (UWAT01)	UWAT01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Wavedirect Telecommunications (WVDT01)	WVDT01	16+	-	-	-	-	3	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	1	20.00%	1	20.00%	3	60.00%	5
	Total		1	20.00%	1	20.00%	3	60.00%	5
Wawa, Municipality Of (WAW01)	WAW01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	7	77.78%	1	11.11%	1	11.11%	9
	Total		7	77.78%	1	11.11%	1	11.11%	9
Welland Hydro (WLNDH01)	WLNDH01	0-5	278	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	77	100.00%	-	-	-	-	
		Total	355	99.44%	2	0.56%	-	-	357
	Total		355	99.44%	2	0.56%	-	-	357
Welland, City Of (WLD01)	WLD01	0-5	402	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	404	99.51%	2	0.49%	-	-	406
	Total		404	99.51%	2	0.49%	-	-	406
Wellesley, Township Of (WLSLY01)	WLSLY01	0-5	49	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	49	94.23%	-	-	3	5.77%	52
	Total		49	94.23%	-	-	3	5.77%	52
Wellington North Power Inc (WNP01)	WNP01	0-5	66	100.00%	-	-	-	-	
		Total	66	100.00%	-	-	-	-	66
	Total		66	100.00%	-	-	-	-	66
Wellington North, Township Of (WLG123)	WLG123	0-5	57	100.00%	-	-	-	-	
		Total	57	100.00%	-	-	-	-	57
	Total		57	100.00%	-	-	-	-	57
Wellington, County Of (WLG123)	WLG123	16+	-	-	10	100.00%	-	-	
		Total	-	-	10	100.00%	-	-	10
	WLGTS01	16+	-	-	21	95.45%	1	4.55%	
		Total	-	-	21	95.45%	1	4.55%	22
	Total		-	-	31	96.88%	1	3.13%	32
West Elgin, Municipality Of (W005)	W005	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	11	100.00%	
		6-10	3	50.00%	3	50.00%	-	-	
		Total	5	25.00%	3	15.00%	12	60.00%	20
	Total		5	25.00%	3	15.00%	12	60.00%	20
West Grey, Municipality Of (WGWS01)	WGWS01	0-5	36	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	36	94.74%	-	-	2	5.26%	38
	Total		36	94.74%	-	-	2	5.26%	38

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
West Lincoln, Township Of (WLCWS01)	WLCWS01	0-5	31	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	38	97.44%	-	-	1	2.56%	
	Total		38	97.44%	-	-	1	2.56%	39
West Nipissing, Municipality Of (WNIP01)	WNIP01	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	13	86.67%	2	13.33%	-	-	
		Total	52	92.86%	3	5.36%	1	1.79%	
	Total		52	92.86%	3	5.36%	1	1.79%	56
West Perth, Municipality Of (WPTH123)	WPTHSS01	0-5	21	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	
	WPTHWS01	0-5	27	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	
	Total		67	100.00%	-	-	-	-	67
West Windsor Power (WWP01)	WWP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Westario Power (WPOW01)	WPOW01	0-5	232	100.00%	-	-	-	-	
		11-15	-	-	3	60.00%	2	40.00%	
		16+	-	-	-	-	9	100.00%	
		6-10	60	73.17%	22	26.83%	-	-	
		Total	292	89.02%	25	7.62%	11	3.35%	
	Total		292	89.02%	25	7.62%	11	3.35%	328
Westover Express Pipeline (WEX01)	WEX01	0-5	52	100.00%	-	-	-	-	
		Total	52	100.00%	-	-	-	-	
	Total		52	100.00%	-	-	-	-	52
Westport, Village Of (WPT01)	WPT01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	Total		4	100.00%	-	-	-	-	4
Whitby, Town Of (WHIT123)	WHITCB01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	
	WHITF01	0-5	10	100.00%	-	-	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	14	93.33%	1	6.67%	-	-	
	WHITS01	0-5	182	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	182	98.91%	-	-	2	1.09%	
	WHITSL01	0-5	80	100.00%	-	-	-	-	
		6-10	29	96.67%	1	3.33%	-	-	
		Total	109	99.09%	1	0.91%	-	-	
	Total		311	98.73%	2	0.63%	2	0.63%	315
Whitchurch-Stouffville, Town Of (WCHSTO01)	WCSTS01	0-5	159	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	173	100.00%	-	-	-	-	
	WCSTSC01	0-5	149	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	164	100.00%	-	-	-	-	
	WCSTSL01	0-5	249	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
	Total		265	100.00%	-	-	-	-	265

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Whitchurch-Stouffville, Town Of (WCHSTO01)	WCSTW01	0-5	218	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	233	100.00%	-	-	-	-	233
	Total		835	100.00%	-	-	-	-	835
White River, Town Of (WHRWS01)	WHRWS01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Whitewater Region, Township Of (WHTWAT01)	WHTWAT01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	3	100.00%	
		Total	11	73.33%	-	-	4	26.67%	15
	Total		11	73.33%	-	-	4	26.67%	15
Wiet Peeters Farm Products Limited (WPFPL01)	WPFPL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Wightman Telecom (WT123)	WT01	0-5	1,222	100.00%	-	-	-	-	
		11-15	-	-	116	100.00%	-	-	
		16+	-	-	1	5.00%	19	95.00%	
		6-10	289	74.87%	97	25.13%	-	-	
		Total	1,511	86.64%	214	12.27%	19	1.09%	1744
	Total		1,511	86.64%	214	12.27%	19	1.09%	1,744
Wilfrid Laurier University (WLU01)	WLU01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	Total		8	88.89%	1	11.11%	-	-	9
Wilmot, Township Of (WLMWS01)	WLMWS01	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	52	96.30%	2	3.70%	-	-	54
	Total		52	96.30%	2	3.70%	-	-	54
Windlectric Inc (AIWF01)	AIWF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Windsor, City Of - Sewer (WSRS01)	WSRS01	0-5	466	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	111	100.00%	-	-	-	-	
		Total	577	99.14%	5	0.86%	-	-	582
	Total		577	99.14%	5	0.86%	-	-	582
Windsor, City Of - Traffic (WSRTS01)	WSRTS01	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	51	100.00%	-	-	-	-	
		Total	93	98.94%	1	1.06%	-	-	94
	Total		93	98.94%	1	1.06%	-	-	94
Windsor, City Of (EWINW01)	EWINW01	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	36	85.71%	6	14.29%	
		16+	-	-	-	-	1	100.00%	
		6-10	128	90.78%	13	9.22%	-	-	
		Total	195	77.69%	49	19.52%	7	2.79%	251
	EWINW02	0-5	87	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	88	100.00%	-	-	-	-	88
	Total		283	83.48%	49	14.45%	7	2.06%	339
Windsor, City Of (WSRSL01)	WSRSL01	0-5	562	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Windsor, City Of (WSRSL01)	WSRSL01	6-10	176	100.00%	-	-	-	-	
		Total	738	99.86%	1	0.14%	-	-	739
		Total	738	99.86%	1	0.14%	-	-	739
Wingham & Listowel Hospitals (LWHA01)	LWHA01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
		Total	-	-	-	-	3	100.00%	3
Woodstock Water, City Of (WDWAT01)	WDWAT01	0-5	313	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	322	100.00%	-	-	-	-	322
		Total	322	100.00%	-	-	-	-	322
Woodstock, City Of (Sanitary & Storm Sewer) (WDSS01)	WDSS01	0-5	273	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	282	100.00%	-	-	-	-	282
		Total	282	100.00%	-	-	-	-	282
Woolwich, Township Of (WLW01)	WLW01	0-5	264	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		Total	264	98.14%	5	1.86%	-	-	269
		Total	264	98.14%	5	1.86%	-	-	269
Wtc Communications (WTCCT01)	WTCCT01	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	18	50.00%	18	50.00%	-	-	
		Total	45	63.38%	23	32.39%	3	4.23%	71
		Total	45	63.38%	23	32.39%	3	4.23%	71
Xplore Inc (XPL123)	MTLF01	0-5	183	100.00%	-	-	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	204	100.00%	-	-	-	-	204
	XPNET01	0-5	564	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	65	98.48%	1	1.52%	-	-	
		Total	629	98.74%	7	1.10%	1	0.16%	637
	XPNET02	0-5	145	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	158	98.75%	2	1.25%	-	-	160
	Total		991	99.00%	9	0.90%	1	0.10%	1,001
York Region Water And Sewer (YRWS123)	YRWS01	0-5	10	100.00%	-	-	-	-	
		6-10	225	100.00%	-	-	-	-	
		Total	235	100.00%	-	-	-	-	235
	Total		235	100.00%	-	-	-	-	235
York University (YORKU01)	YORKU01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
	Total		-	-	-	-	6	100.00%	6
York, Region Of (Traffic, St Lights, Storm Sewer, Culverts) (YRTTS01)	YRTTS01	0-5	449	100.00%	-	-	-	-	
		11-15	-	-	174	100.00%	-	-	
		16+	-	-	3	17.65%	14	82.35%	
		6-10	508	97.13%	15	2.87%	-	-	
		Total	957	82.29%	192	16.51%	14	1.20%	1163
	Total		957	82.29%	192	16.51%	14	1.20%	1,163
Zayo Canada Inc (ZAYO123)	ZAYOON01	0-5	131	100.00%	-	-	-	-	
		11-15	-	-	-	-	2	100.00%	
		16+	-	-	4	57.14%	3	42.86%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Zayo Canada Inc (ZAYO123)	ZAYOON01	6-10	3	50.00%	3	50.00%	-	-	
		Total	134	91.78%	7	4.79%	5	3.42%	146
	ZAYOON02	0-5	68	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	76	89.41%	7	8.24%	2	2.35%	85
	ZAYOON03	0-5	146	100.00%	-	-	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	30	100.00%	-	-	-	-	
		Total	176	92.63%	14	7.37%	-	-	190
	ZAYOON04	0-5	40	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	42	95.45%	1	2.27%	1	2.27%	44
	ZAYOON05	0-5	137	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	57.14%	3	42.86%	-	-	
		Total	141	96.58%	4	2.74%	1	0.68%	146
	ZAYOON06	0-5	25	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	26	96.30%	1	3.70%	-	-	27
	ZAYOON07	0-5	99	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	102	94.44%	5	4.63%	1	0.93%	108
	ZAYOON08	0-5	69	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	12	100.00%	-	-	-	-	
		Total	81	92.05%	6	6.82%	1	1.14%	88
	ZAYOON09	0-5	19	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	20	95.24%	1	4.76%	-	-	21
	ZAYOON11	0-5	422	100.00%	-	-	-	-	
		11-15	-	-	97	100.00%	-	-	
		16+	-	-	18	31.58%	39	68.42%	
		6-10	83	86.46%	13	13.54%	-	-	
		Total	505	75.15%	128	19.05%	39	5.80%	672
	ZAYOON12	0-5	22	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
	Total		1,330	85.59%	174	11.20%	50	3.22%	1,554
Zayo Canada Inc (ZAYOON10)	ZAYOON10	0-5	115	100.00%	-	-	-	-	
		11-15	-	-	10	90.91%	1	9.09%	
		16+	-	-	22	88.00%	3	12.00%	
		6-10	44	100.00%	-	-	-	-	
		Total	159	81.54%	32	16.41%	4	2.05%	195
	Total		159	81.54%	32	16.41%	4	2.05%	195

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Zibi Community Utility Lp (ZIBI01)	ZIBI01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
Zorra, Township Of (ZRASS01)	ZRASS01	0-5	30	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	Total		30	100.00%	-	-	-	-	30
Total			322,691	94.03%	15,202	4.43%	5,297	1.54%	343,190